

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by MAH Source of data BOWC Date 1/6/75 Map \_\_\_\_\_

State 28 County (or town) Benton 05

Latitude: 34 49 00 N Longitude: 08 91 71 0 Sequential number: \_\_\_\_\_

Lat-Long accuracy: 5 T 3 N 1 E Sec 15 \_\_\_\_\_

Local well number: 6025 1503501W Other number: \_\_\_\_\_

Local use: 300 \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: CHEYENE WAGNER Address: Harry Springs

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_

Use of water: (S) (T) (U) (V) (W) (X) (Y) (Z) \_\_\_\_\_

Use of well: (A) (D) (G) (H) (I) (M) (N) (P) (R) (T) (U) (W) (X) (Z) \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 110 Meas. 3

Depth cased; (first perf.) \_\_\_\_\_ ft 103 Casing type: PVC; Diam. \_\_\_\_\_ in 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, open perf., screen, sd. pt., shored, open hole, other \_\_\_\_\_

Method Drilled: (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (X) (Z) \_\_\_\_\_

Date Drilled: 974 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Bumpus, Dean & Kent Well Co. name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) (B) (C) (J) (L) (M) (N) (P) (R) (S) (T) (Z) \_\_\_\_\_ Deep  Shallow

Power (type): diesel, nat gas, gasoline, hand, gas, wind; H.P. 3/4 LP  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_

Date meas: N: 74 Yield: \_\_\_\_\_ 3pm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. 325

Latitude-longitude N  
S  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_ Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat (S) (T) (U) (V) \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TE \_\_\_\_\_ aquifer, formation, group M:W

Lithology: \_\_\_\_\_ Origin: 2 Aquifer Thickness: 55 ft

Length of well open to: \_\_\_\_\_ ft 7 Depth to top of: \_\_\_\_\_ ft 5.5

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. 325