

MAY - 3 1975

C67

FORM 9-1642 (1-68)

# WELL SCHEDULE

GEOLOGICAL SURVEY

**PUNCHED**  
WATER RESOURCES DIVISION

U. S. DEPT. OF THE INTERIOR

OCT 6 1974

### MASTER CARD

Record by ef Source of data MBWC Date 5-7-74 Map \_\_\_\_\_

State 28 County (or town) Bellevue Sequential number: 06

Latitude: 33° 55' 54" N Longitude: 090° 55' 03" W

Lat-long accuracy: 240 T 70 S Sec 15 SW NW B & M

Local well number: C067081524N07W Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: FINDLEY SEED CO Address: \_\_\_\_\_

Overship: County, Fed Gov't, (M) City, Corp or Co, Private, State Agency, Water Dist (W)

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (B) Stock, Instit, Unused, Recharge, Desal-P S, Desal-other, Other (Z)

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (Z)

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: no  yes  period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 121 ft Meas. accuracy 16

Depth cased; (first perf.): 81 ft Casing type: Steel; Diam. in 29

Finish: porous concrete, gravel w. (perf.), (screen), gallery, end, horz. open perf., screen, sd. pt., shored, open hole, other

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) percussion, rotary, (F) reverse trenching, (T) driven, (V) drive wash, (W) other

Date Drilled: 474 Pump intake setting: \_\_\_\_\_ ft

Driller: Delta Well Supply name address Deep  Shallow

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (cent.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 60 LP  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_

Date meas: 474 Yield: 2600 gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_ N  
S  
d m s d m s

### HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

Drainage Basin: **E**

Section: **03**

Subbasin: **15A**

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system

series

**06**

aquifer, formation, group

**MA**

Lithology: \_\_\_\_\_

**R**

Origin: \_\_\_\_\_

**2**

Aquifer Thickness:

**51** ft

Length of well open to: \_\_\_\_\_ ft

**40**

Depth to top of: \_\_\_\_\_ ft

**70**

MINOR AQUIFER:

system

series

\_\_\_\_\_

aquifer, formation, group

\_\_\_\_\_

Lithology: \_\_\_\_\_

\_\_\_\_\_

Origin: \_\_\_\_\_

\_\_\_\_\_

Aquifer Thickness:

\_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft

\_\_\_\_\_

Depth to top of: \_\_\_\_\_ ft

\_\_\_\_\_

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

\_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

\_\_\_\_\_

Surficial material: \_\_\_\_\_

\_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

\_\_\_\_\_

Coefficient Trans: \_\_\_\_\_

gpd/ft

\_\_\_\_\_

Coefficient Storage: \_\_\_\_\_

\_\_\_\_\_


Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

\_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_

\_\_\_\_\_



Well No. \_\_\_\_\_