Coded by: BRR 8/04
Checked by: JPS 122304
Entered by: LJK
Date: 10/04

U. S. Geological Survey
Water Resources Division
Mississippi District
Well Record

Well No. D128
E-Log No. —
County BOLIVAR
Agency
106B

Agency Code: USGS

Site ID: 1= 335840090485601

Project No. (12 chara.): 5=

Station Name: 12= D128 BOLIVAR CO

Station Type: 802= Y

Dist. Code: 28 | State Code: 28 | County Code: 011

Latitude: 9= 335840

Longitude: 10= 0904856

Lat/Long Acc.: 11= F

Lat/Long Meth.: 35= M

11- L/L Acc--1=+/- .1 sec, 5=+/-.5 sec, S=+/-1sec(GPS), F=+/-5sec, T=+/-10 sec, M=+/-1 min

35- L/L Meth--D=DGPS, G=GPS, L=Loran, M=MAP, S=Survey, U=Unknown

A=Altimeter, D=DGPS
G=GPS, L=Surveying
M=Topo, U=Unknown

if determined from topo
1/2 contour interval

Lat/Long Datum-(NAD27or NAD83): 36= NAD27

Altitude: 16= 155.*

Accuracy: 18= 2.5

Method Meas.: 17= M

Altitide Datum (NGVD29 or NAVD88): 22= NGVD29

Land Net Loc.: 13= SENESW 04 T 24N R 06W 0

Meridians--I=Chickasaw, O=Choctaw, H=Huntsville, S=St. Stephens, W=Washington

Hydrologic Unit: 20= 08030207

Gr. Time Loc. Time: 813= CST 814= Y

Location Map: 14= SHELBY

Agency Use: 803=

Date Inventoried: 711=

Station Remarks Field (50 chara.)---33 spaces shown: 806= NW OF SHELBY

Web-R: 2= W X

Reliability: 32= 3= C L M U

Date of Construction: 21= 03112004

Well Use: 23= W

Water Use: 24= I

Primary Aquifer: 714= 112MRVA

Hole Depth: 27= 125.*

Well Depth: 28= 125.*

Construction Data

R=58 T=A 723 #1

Construction Date: 60= 03112004

Contractor: 63= 0439 Name IRR. EQUIP.

Method: 65= R

Finish: 66= G

Construction Casing Data

R=76 T=A 725 #1 59 #1

Top of Casing	Bottom of Casing	Diameter	Material
77= 0.*	78= 85.*	79= 16.*	80= P*
77= *	78= *	79= *	80= *

G-galv. iron, P-pvc, S-steel, V-stainless---- (For other materials--see manual)

Construct. Openings Data

R=82 T=A 726 #1 59 #1

Top / Depth	Bottom / Depth	Diameter	Material	Type	Width
83= 85.*	84= 125.*	87= 16*	86= S*	85= P*	88= .050*
83= *	84= *	87= *	86= *	85= *	88= *

F-fractured rock, M-mesh screen, P-perforated, R-Wire-wound, S-screen, T-sand point, X-open hole (For other types see manual)

G-galv. iron, P-pvc/plastic, R-stainless steel, S-steel

Construction Lift Data

R=42 T=A 254 #1

Lift Type: 43= T

A=air lift, B-bucket, C=centrifugal, J=jet, P-piston, R-rotary, S=submergible, T-turbine, U-unknown, Z-other

DATE: 38= 03112004

Intake: 44= 70

Power/Type: 45= D

D=diesal, E=elect., G=gasoline, L=LP gas, N=nat. gas, W-windmill

Horse Power: 46= 60.*

Serial No.: 49=

Misc Owner Data

R=158 T=A 718 #1

Date of Ownership: 159= 03112004

Owner Name--(Max of 64 chararcters----34 shown): 161= PARKS PLACE FARM

Phone Number: 351=

Street Address (max. of 64 characters): 353= Box 189

City: 355= SHELBY

State: 356= MS

Zip Code: 357= 38774

358= USA

Misc Other ID Data R=189 T=A 736 #1

E-Log No. 190=

Assigner 191= MISS DIST

Misc Logs Data R=198 T=A 739 #1

Log Type	Beg. Depth	End Depth	Format	
199= DR	200= 0.	201= 125.	225= F	226= USGS Files

R=198 T=A 739 #2

Log Type	Beg. Depth	End Depth	Source	
199=	200=	201=	225= F	226= USGS files

Misc. Network Data 706= QW, WL, WD *

	Beg. of Year	End of Year		Agency Source	Freq.
R=114 T=A 730 #1	115=	116=	120=A	117=	118=
R=121 T=A 730 #2	115=	116=	120=A	117=	118=

Misc Remarks Data R=183 T=A 311 #1

Date of Remarks 184= 03112004

Remarks--(Max. of 44 characters) 16 SHOWN 185= MSGW 39592

Discharge Data R=146 T=A Pump/Flow 147 #1

Date 148= 03112004

Type 703= (P) F *

Discharge 150= 3000. *

Meth. Disc. 152= R

Duration 157= *

Specific Cpapcity 272= *

Drawdown 309= *

Geohydrologic Data R=90 T=A 721 #1

Depth-Top of Interval 91= *

Depth-Bottom of interval 92= *

Aquifer Code 93= 112MRVA *

Hydraulic Data R=98 T=A 790 #1 Unit Tested

Hydraulic Unit I D 100=

Unit Type 103=

304= P

Historical Water Level Data R=234 T=A 235# 03112004

Date 243= L

Water Level 237= 33.

Method of Meas. 239= R

Source 244= D

Source Agency 247= MS008

A-gov., D-driller, G-geologist, L-logs, M-memory,
O-owner, R-other reported, S-reporting agency, Z-other

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO
Clay	0	29
Fine Sand	30	50
Fine Sand/gravel	51	60
Med. Sand/gravel	61	125