FORM 9-1642
(1-68)

Well No. F 66

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR — GEOLOGICAL SURVEY — WATER RESOURCES DIVISION

FEB 8 1974

MASTER CARD

Record by J. S. Source of data Bouc Date 4/70 Map

State 28 County (or town) Bolivar 06

Latitude: 33 51 45 N dgs min sec S Longitude: 090535 12 degrees 15 min sec 18 Sequential number: 1

Lat-long accuracy: 3 N E T S, R W, Sec , ¼, ¼, ¼ B & M

Local well number: F 06 6 BA 1 1 23 N 07 W Other number:

Local use: 019 Owner or name:

Owner or name: ROBBINS & LONG Address: Rosedale.

Ownership: (C) County, (F) Fed Gov't, (M) City, (N) Corp or Co, (P) Private, (S) State Agency, (W) Water Dist — N

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Ind, (N) P S, (P) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other — I

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed. — W

DATA AVAILABLE: Well data ; Freq. W/L meas.: ; Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: ; Pumpage inventory: yes / no, period:

Aperture cards: yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: ft 1130 Meas. rept accuracy 3

Depth cased: (first perf.) ft 900 Casing type: Steel ; Diam. in 16

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., screen, sd. pt., (S) shored, (T) open hole, (Z) other — 5

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rotary, (T) trenching, (V) driven, (W) drive wash, (Z) other — H

Date Drilled: 970 Pump intake setting: ft

Driller: name , address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (cent.), (M) multiple, (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other ; Deep ; Shallow

Power (type): diesel, (elec), nat gas, gasoline, hand, LP gas, wind; H.P. 60 V Trans. or meter no.

Descrip. MP ft above/below LSD, Alt. MP

Alt. LSD: Accuracy: (source)

Water Level 21 ft above/below MP; Ft above/below LSD 21 Accuracy:

Date meas: 470 Yield: gpm 2900 Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10^6 Temp. °F Date sampled

Taste, color, etc.

Well No. F 66

Well No. E66

Latitude-longitude N S d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD (1–19) Physiographic Province: 03 (20–21) Section:

E (22) Drainage Basin: 15H (23–25) Subbasin: (26)

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (Ø) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat (27)

MAJOR AQUIFER: system, series QG (28–29) aquifer, formation, group MA (30–31)

Lithology: R (32–33) Origin: 2 (34) Aquifer Thickness: 107 ft

19-115
119-130

Length of well open to: (35–37) ft Depth to top of: 40 (38–40) ft 19 (41–43)

MINOR AQUIFER: system, series (44–45) aquifer, formation, group (46–47)

Lithology: (48–49) Origin: (50) Aquifer Thickness: ft

Length of well open to: (51–53) ft Depth to top of: (54–56) ft (57–59)

Intervals Screened: 16" Steel.

Depth to consolidated rock: ft (60–63) Source of data: (64)

Depth to basement: ft (65–68) Source of data: (69)

Surficial material: (70–71) Infiltration characteristics: (72)

Coefficient Trans: gpd/ft (73–75) Coefficient Storage: (76–78)

Coefficient Perm: gpd/ft^2; Spec cap: gpm/ft; Number of geologic cards: (79)



Well No. E66

GPO 937-142