

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION  
**PUNCHED**  
**FEB 13 1974**

MASTER CARD

Record by J. S. Source of data BOWC Date 6/70 Map \_\_\_\_\_  
 State 28 County Bolivar 06  
 Latitude: 33 46 25 N Longitude: 09 04 35 W Sequential number: 1  
 Lat-long accuracy: \_\_\_\_\_  
 Local well number: M 0 6 1 A A 0 8 2 2 N O 5 W Other number: \_\_\_\_\_  
 Local use: 0 1 9 Owner or name: PERRY FUNCHESS  
 Owner or name: RIENOVIA SUBDIVIS Address: Cleveland, Ms

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P  
 Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other HP

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (W) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_ yes  no   
 Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 723 ft Meas. rept. accuracy 3  
 Depth cased; (first perf.): 693 ft Casing type: Galv; Diam. 4x2 1/2  
 Finish: (C) porous concrete, (F) gravel w. (perf.), (G) screen, (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) hole, (Z) other S  
 Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rot., (T) trenching, (V) driven, (W) drive wash, (Z) other H  
 Date Drilled: 970 Pump intake setting: \_\_\_\_\_ ft  
 Driller: DELTA WELL & Supply  
 Lift (type): (A) air, (B) bucket, (C) cent. jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., other 3 Deep:  Shallow   
 Power (type): (nat) diesel, (elec) gas, gasoline, hand, gas, wind; H.P. 3 Trans. or meter no. 7

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: 140 Accuracy: (source) \_\_\_\_\_  
 Water Level 26 ft above MP; Ft below LSD 26 Accuracy: \_\_\_\_\_  
 Date meas: 570 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No. M 61

Well No. 14

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03 Section: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_

15H Subbasin: \_\_\_\_\_

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp,  
Topo of well site: (●) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TE \_\_\_\_\_ aquifer, formation, group SS

Lithology: \_\_\_\_\_ Origin: 2 Aquifer Thickness: 38 ft

Length of well open to: \_\_\_\_\_ ft 310 Depth to top of: \_\_\_\_\_ ft 690

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 2 1/2" SS


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. 1461