

GW 04991  
0060015-01

RLB 10/20/03

FORM 9-1642  
(1-68)

Well No. 1768

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by B.D. Source of data BOWC Date 8-71 Map merigold

State 28 County BOLIVAR (or town) 06

Latitude: 33 47 00 N Longitude: 09 04 30 2 Sequential number: 1

Lat-long accuracy: 3 22 5 Sec 4 SW SW SE SW/SE/SW

Local well number: M068CA0422N05W Other number: \_\_\_\_\_

Local use: 064 Owner or name: \_\_\_\_\_

Owner or name: RENOVA W A Address: Riviera

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist. M

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec. P

Use of well: (S) Stock, Inactit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other SB/MU

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: MSB04

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ SPRT yes

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 782 Meas. rept. accuracy 3

Depth cased: (first perf.) 732 Casing type: \_\_\_\_\_; Diam. 8x4 in 8

Finish: (C) concrete, (F) porous gravel w. (G) gravel v. (H) horiz. (I) open (J) screen, (K) gal. (L) sd. pt., (M) shored, (N) open hole, (O) other S

Method: (A) air, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) percussion, (H) rotary, (I) reverse trenching, (J) driven, (K) wash, (L) other H

Date Drilled: 9:6:5 Pump intake setting: \_\_\_\_\_ ft 38

Driller: Layne - Can address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent. jet, (D) multiple, (E) multiple, (F) none, (G) piston, (H) rot., (I) submerg, (J) turb, (K) other T Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP 140 ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 110 Accuracy: (source) \_\_\_\_\_

Water Level: 30 ft above below MP; 30 ft below LSD Accuracy: \_\_\_\_\_

Date meas: 4:6:5 Yield: 1000 gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNIC... BRANCH

Well No.

1768

Well No. 1168

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: E 15H Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat (F) (H) (K) (L) (P) (S) (T) (U) (V) \_\_\_\_\_

MAJOR AQUIFER: system \_\_\_\_\_ series TE aquifer, formation, group 53

Lithology: US Origin: N Aquifer Thickness: 100 ft

Length of well open to: 50' 6" ft Depth to top of: 69' 2" ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 4"



Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft<sup>2</sup> Coefficient Storage: \_\_\_\_\_

Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. 1168