



file

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by Bee Source of data owner Date 6/5/54 Map \_\_\_\_\_

State 28 County (or town) Calhoun 07

Latitude: 34° 05' 32" N Longitude: 089° 27' 06" W Sequential number: 1

Lat-long accuracy: 3 T. 11 R. 2 Sec 30, T. NE S. SW

Local well number: A001AC3011502W Other number: \_\_\_\_\_ B & M

Local use: 063 Owner or name: \_\_\_\_\_

Owner or name: L H CAMP Address: Water Valley

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist. P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  yes no, period: \_\_\_\_\_

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 490 ft Meas. rept accuracy 6

Depth cased: 1160 ft Casing type: \_\_\_\_\_; Diam. in 4

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (perf.), (screen), horiz. gallery, end, open perf., screen, sd. pt., shored, other X

Method Drilled: air rot., bored, cable, dug, hyd rot., jetted, air percussion, rotary, driven, rotary, drive wash, other A

Date Drilled: 9:54 Pump intake setting: \_\_\_\_\_ ft

Driller: Paulk Bros name address \_\_\_\_\_

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other P Deep  Shallow

Power (type): diesel, elec, nat, gas, gasoline, hand, gas, wind, H.P. 5 Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; Ft below LSD 75 Accuracy: \_\_\_\_\_ Method determined \_\_\_\_\_

Date meas: 55 Yield: \_\_\_\_\_ gpm \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Well No.

AI

