

1/81 WTO

Recorded by BRR

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No. A 65

E-Log No. \_\_\_\_\_

County CAROL

Site ID 333615090030102 R=0\* T= A \* 2=W\*

GEN. SITE DATA

Data reliab. 3= 4 \* Report. agency 4=USGS\* Dist. 6=28\* 7=28\* Co. 8= 015 \*

Lat. Long. 9= 333615 \* 10= 0900301 \* Well No. 12= A 65 \*

Location SESESE S 11 T 20 N R 02 E \* Alt. 16= 300 \*

Hyd. Unit (OWDC) 20= \_\_\_\_\_ \* Date 21= 0413011982 \*

Well use 23= W \* Water Use 24= H \* Hole depth 27= 610 \* Well depth 28= 512 \*

WL 30= 20 \* Date 31= 0413011982 \* Source 33= D \*

Status 273= \_\_\_\_\_ \* Project No. 5= \_\_\_\_\_ \*

OWNER

R=158\* T= A \* Date 159# 0413011982 \* Owner No. \_\_\_\_\_

Owner 161# JAMES QUINN \*

FIELD QW

R=192\* T= A \* Date 193# 1/1 \* Temp. 196#00010\* 197= \_\_\_\_\_ \*

R=192\* T= A \* Date 193# 1/1 \* Cond. 196#00095\* 197= \_\_\_\_\_ \*

R=192\* T= A \* Date 193# 1/1 \* pH 196#00400\* 197= \_\_\_\_\_ \*

CONSTR.

R=58\* T= A \* 59#1\* Date 60= 0413011982 \* Remarks \_\_\_\_\_

Drlg. 63= 264 \* Name SPUR- BEAPYAN Method 65= H \* Finish 66= S \*

CASING

R=76\* T= A \* 59#1\* Top csgn. 77# 0 \* Bot. csgn. 78= 126 \* Diam. 79# 4 \*

R=76\* T= A \* 59#1\* Top csgn. 77# 126 \* Bot. csgn. 78= 492 \* Diam. 79# 2 \*

OPENINGS

R=82\* T= A \* 59#1\* Top 83# 492 \* Bottom 84= 512 \*

Type 85= S \* Diam. 87= 2 \* Size 88= 010 \*

R=82\* T= A \* 59#1\* Top 83# \_\_\_\_\_ \* Bottom 84= \_\_\_\_\_ \*

Type 85= \_\_\_\_\_ \* Diam. 87= \_\_\_\_\_ \* Size 88= \_\_\_\_\_ \*

YIELD

R= 146 \* T= A \* 147# 1 \* Q 150= 20 \* Q/S 272= \_\_\_\_\_ \*

134 flows 146 pumped

R=42\* T= A \* Lift type 43# S\* Intake 44= \* Power type 45= 12\*

LIFT

Date 38= 04/30/1982\* H.P. 46= \*

LOGS

R=198\* T= A \* Log 199# D\* Top 200= 20\* Bot 201= 610\*

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \*

ANAL.

R=114\* T= A \* Year 115# \* 117# \* 120# \*

AQUIFERS

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= 124muwx \* Name of Unit \_\_\_\_\_

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= \* Name of Unit \_\_\_\_\_

HYDRAULICS

R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*

R=105\* T= A \* 99# 1 \* Test No. 106# \*

107= \* Transmissivity (gal/d)/ft \_\_\_\_\_

108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup> \_\_\_\_\_

110= \* Storage coeff. Boundaries \_\_\_\_\_

R=121\* T= \* Yr Begin 122# \* Network 258# \*

Water Level Data Collection (1)  
5 mi SE of AVALON

Clay	0	20
Clay & red sand	20	60
Sand	60	90
Shale	90	110
Shale & rocks	140	220
Green sand & shale	220	260
Greensand	260	280
Shale	280	360
Shale & str. sand	360	420
Sand	420	450
Shale & Sand	450	480
Sand	480	510
Shale	510	610

