

Use changed to standard 12/19/76 140

FORM 9-1642 (1-68)

Well No. D-36

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

APR 4 1975

MASTER CARD BGM

12-19-74

Record by G. F. BROWN Source of data C. J. SANDERS Date 9-4-39 Map

State 28 County (or town) 08

Latitude: 33 deg 27 min 55 sec Longitude: 090 degrees 03 min 10 sec

Lat-long accuracy: 3 T 190 S, R 2 W, Sec 24, SW NE

Local well number: 11256CA2419NO2E Other number: #59 B & M R. 1165

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: A. L. JOHNSON Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other X

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (W) W + +

DATA AVAILABLE: Well data 70 Freq. W/L meas.: 71 Field aquifer char. 72

Hyd. lab. data: \_\_\_\_\_ 73

Qual. water data; type: \_\_\_\_\_ 74

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes 75 no, period: \_\_\_\_\_ 76

Log data: \_\_\_\_\_ 77

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 500 ft Meas. rept accuracy 24 6

Depth cased: (first perf.) 160 ft Casing type: \_\_\_\_\_; Diam. in 6

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole, other 31 6

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) rotary, (J) driven, (K) wash, (L) other 32 H

Date Drilled: \_\_\_\_\_ Pump intake setting: \_\_\_\_\_ ft 36 38

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other 39 Deep 40 Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP Top of 6" casing 3.5 ft above/below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) 47 8

Water Level: -77.39 ft above/below MP; Ft below LSD 48 77 Accuracy: \_\_\_\_\_ 52 A

Date meas: \_\_\_\_\_ Yield: 121 gpm 53 100 Method determined 61

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs 62 63 64 65 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm 69 70 71 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_ 73 74 75 76 77 79

