

2 down hole  
Hottel, 4/9/74  
JAC

FORM 9-1642  
(1-68)

Well No. B10

### WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR      GEOLOGICAL SURVEY      WATER RESOURCES DIVISION

#### MASTER CARD

Record by Y.M. FOSTER Source of data BARNETT SUPT Date 7/40 Map \_\_\_\_\_

State 28 County (or town) Chickasaw 09

Latitude: 34<sup>deg</sup> 02<sup>min</sup> 26<sup>sec</sup> N Longitude: 08<sup>deg</sup> 90<sup>min</sup> 12<sup>sec</sup> W Sequential number: 2

Lat-long accuracy: 3 T 12 R 3 W, Sec 18, t, SW t, NE t

Local well number: 6010CA1812S03E Other number: #1 B & M

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: HOUKKA Address: Houba

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist M

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other U

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed. Z

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_

#### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 1057 Meas. 6

Depth cased; (first perf.) \_\_\_\_\_ ft 1017 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, (C) concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) other P

Method: (A) air bored, (B) cable, (C) dug, (D) hyd rot., (E) jetted, (F) air percussion, (G) reverse, (H) trenching, (I) driven, (J) drive wash, (K) other H

Date Drilled: 928 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Allen Coopers Co. Shenada

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other A Deep  Shallow

Power (type): 5 nat LP Trans. or meter no. T

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: 4 380 (source) topo

Water Level: \_\_\_\_\_ ft above below MP; F \_\_\_\_\_ above below LSD 140 Accuracy: \_\_\_\_\_

Date meas: 28 Yield: \_\_\_\_\_ gpm 118 Method determined

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Well No.

B10

