

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by RET Source of data MEOWC Date 9-30-70 Map \_\_\_\_\_  
 State 28 County (or town) 09  
 Latitude: 33<sup>deg</sup> 52<sup>min</sup> 38<sup>sec</sup> N Longitude: 08<sup>deg</sup> 90<sup>min</sup> 94<sup>sec</sup> W Sequential number: 1  
 Lat-long accuracy: 5<sup>T</sup> 13<sup>N</sup> 2<sup>R</sup> 10<sup>W</sup>, Sec 10, T. \_\_\_\_\_, R. \_\_\_\_\_, S. \_\_\_\_\_, E. \_\_\_\_\_  
 Local well number: 5025 1013502E Other number: \_\_\_\_\_ B & M  
 Local use: 139 Owner or name: \_\_\_\_\_  
 Owner or name: BUD GANN Address: \_\_\_\_\_  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P  
 Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Mad, Ind, P S, Rec, \_\_\_\_\_  
 water: (S) (T) (U) (V) (W) (X) (Y) (Z) H  
 Use of (A) (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) W  
 well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed.  
 DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_ yes  no   
 Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 300 Meas. 3  
 Depth cased; (first perf.) \_\_\_\_\_ ft 84 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 4  
 Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) hor. gallery, (I) hor. end, (J) open end, (K) perf., (L) screen, (M) sd. pt., (N) shored, (O) open hole, (P) other X  
 Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) percussion, (G) rotary, (H) reverse trenching, (I) driven, (J) wash, (K) other H  
 Drilled: 963 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_  
 Driller: Sam Smith  
 Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb, (L) other  Deep  Shallow   
 Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_  
 Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_  
 Water Level \_\_\_\_\_ ft above MP; Ft below LSD 100 Accuracy: \_\_\_\_\_  
 Date meas: 863 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLS CORP. - CINCINNATI, OHIO

Well No. J25

Well No. J25

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** 03 Section: \_\_\_\_\_  
19 20 21

D Drainage Basin: 156 Subbasin: \_\_\_\_\_  
22 23 25 26

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (M) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat \_\_\_\_\_  
27

MAJOR AQUIFER: \_\_\_\_\_ K3 \_\_\_\_\_ RI \_\_\_\_\_  
system series aquifer, formation, group  
28 29 30 31

Lithology: \_\_\_\_\_ 5 \_\_\_\_\_ Origin: \_\_\_\_\_ 6 \_\_\_\_\_ Aquifer Thickness: 2 10 ft  
32 33 34

Length of well open to: \_\_\_\_\_ ft 10 \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft 290 \_\_\_\_\_  
35 37 38 40 41 43

MINOR AQUIFER: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
system series aquifer, formation, group  
44 45 46 47

Lithology: \_\_\_\_\_ \_\_\_\_\_ Origin: \_\_\_\_\_ \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
48 49 50

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_  
51 53 54 56 57 59

Intervals Screened: open well

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ \_\_\_\_\_ Source of data: \_\_\_\_\_  
60 63 64


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ \_\_\_\_\_ Source of data: \_\_\_\_\_  
65 68 69

Surficial material: \_\_\_\_\_ \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_  
70 71 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_  
73 75 76 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_  
77 79

Surface 0-20 ft  
Blk sh  
Blue clay 20-70  
White clay 70-290  
"Wilcox" sd 290-300



Well No. \_\_\_\_\_

J25