

piston pump - no way in (11/17/91 - 20)

FORM 9-1642 (1-68)

Well No. K33

WELL SCHEDULE
GEOLOGICAL SURVEY

E log #21
WATER RESOURCES DIVISION

U. S. DEPT. OF THE INTERIOR

MASTER CARD

Record by PEG BEE Source of data Obs - driller Date 7/58 Map Houston West

State 28 County (or town) Chebasaw 09

Latitude: 33 52 36 N Longitude: 08 9 00 15 Sequential number: 1

Lat-long accuracy: 3 T. 14 W. 3 E. Sec 8 NE t. SW t. NE t.

Local well number: K033CA0814S03E Other number: B & H

Local use: 092 Owner or name: AMER NEAL

Address: Houston

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, P S, Rec, Water: A

Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type: USGS 12-17-59

Freq. sampling: Pumpage inventory: period:

Aperture cards:

Log data: E-log 275-902

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 1000 ft Meas. rept accuracy 6

Depth cased: ft Casing type: 4x2 in

Finish: porous concrete, gravel v. (perf.), (screen), gallery, end, horiz. open perf., screen, sd. pt., shored, open hole, other P

Method (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (X) (Y) (Z) H

Drilled: air bored, cable, dug, hyd jetted, air percussion, rotary, reverse trenching, driven, drive wash, other H

Date Drilled: 9-5-8 Pump intake setting: ft

Driller: ASHBY + PARKS

Lift (A) (B) (C) (J) (L) (M) (N) (P) (R) (S) (T) (X) (Y) (Z) Deep Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P. Trans. or meter no.

Descrip. MP 332' (12/89) ft above below LSD, Alt. MP T

Alt. LSD: 340 Accuracy: (source) T

Water Level: 9.2 ft above below MP; Ft below LSD Accuracy: 6

Date meas: 7-5-8 Yield: gpm Pumping period: hrs

Drawdown: ft Accuracy: Pumping period: hrs

QUALITY OF WATER DATA: Iron 1.5 ppm Sulfate ppm Chloride 47 ppm Hard. ppm

Sp. Conduct 622 K x 10 4 Temp. °F Date sampled

Taste, color, etc.

PUNCHED AND VERIFIED
ROLLA COMPUTATION BRANCH

Well No.

K33

