

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by TS Source of data owner Date 8/56 Map Tre bloc

State 29 County (or town) Chickasaw 09

Latitude: 33^{deg} 50^{min} 21^{sec} N Longitude: 088^{deg} 50^{min} 15^{sec} Sequential number: 1

Lat-long accuracy: 3^{deg} 14^{min} 4^{sec} W. Sec 25 SW t. NW t. NE t.

Local well number: L006BA2519S04E Other number: B & H

Local use: Owner or name: WILSON BRAND Address: TRE BLOC

Ownership: (C) County, Fed Gov't, (F) City, Corp or Co, (M) Private, (N) State Agency, (P) Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Repressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no; period:

Aperture cards: yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 700 ft Meas. 6

Depth cased; (first perf.) ft Casing Type: ; Diam. 4 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open hole, (K) other X

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air rot., (H) percussion, (I) rotary, (J) reverse, (K) trenching, (L) driven, (M) drive wash, (N) other H

Date Drilled: Pump intake setting: ft

Driller: name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) nose, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other P Deep Shallow

Power (type): nat LP 12 3 Trans. or meter no.

Descrip. MP 324' (10/89) ft above below LSD, Alt. MP

Alt. LSD: 320 Accuracy: T 4

Water Level: 200 ft above below MP; Ft below LSD Accuracy: 6

Date meas: 5.5 Yield: gpm Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10⁶ Temp. °F Date sampled

Taste, color, etc. soft

PUNCHED and VERIFIED
ROLLA COMPUTATION BRANCH

Well No.

LL

Well No. **L6**

Latitude-longitude
N
S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: **03** Section:

D Drainage Basin: **13E** Subbasin:

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (M) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat

MAJOR AQUIFER: system series **K3** aquifer, formation, group **E4**

Lithology: **5** Origin: **6** Aquifer Thickness: ft

Length of well open to: ft Depth to top of: ft

MINOR AQUIFER: system series aquifer, formation, group

Lithology: Origin: Aquifer Thickness: ft

Length of well open to: ft Depth to top of: ft

Intervals Screened: *open well*



Depth to consolidated rock: ft Source of data:

Depth to basement: ft Source of data:

Surficial material: Infiltration characteristics:

Coefficient Trans: gpd/ft Coefficient Storage:

Coefficient Perm: gpd/ft²; Spec cap: gpm/ft; Number of geologic cards:



Well No. **L6**