

loc. quest. - no sketch

FORM 9-1642 (1-68)

Well No. M-24

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J. Shell Source of data BORC Date 4/69 Map Treblec

State 28 County (or town) Chick. 09

Latitude: 33° 51' 01" N Longitude: 08° 84' 14" W Sequential number: 1

Lat-long accuracy: 3 T. 14 N. 5 S. R. 19 W. Sec. 19 t. SE t. NW

Local well number: M0240E1974S05E Other number: B & M

Local use: 021 Owner or name: PAUL PAISKIN Address: PT #3

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec. (S) Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas.: 7 Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no; period:

Aperture cards: yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 620 ft Meas. rept accuracy

Depth cased; (first perf.) 237" ft Casing type: Steel; Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (screen), (G) gravel w. (gallery), (H) horis. open end, (Ø) open perf., (P) screen, (S) sd. pt., (T) shored, (W) open hole, (X) other, (B)

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Ø) other

Date Drilled: 9.6.69 Pump intake setting: ft

Driller:

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other Deep Shallow

Power (type): (nat) diesel, (elec) gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. 5

Descrip. MP above ft below LSD, Alt. MP

Alt. LSD: 305 Accuracy: (source) 5

Water Level 112 ft above below HP; Ft above below LSD 112 Accuracy:

Date meas: 0.6.69 Yield: 3 gpm Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10 Temp. °F Date sampled

Taste, color, etc.

PUNCHED AND VERIFIED
ROLL OF INFORMATION

Well No.

3 13E

Chickasaw
M 24
12-66

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

Herndon-Homan Well & Supply, Inc.

P. O. Box 42

Chickasaw

Dec. 21 1966
date well completed

SEANTON, MISSISSIPPI 38868 county well located

LANDOWNER:

Paul BASKIN
Rt 3 Houston, Miss
(mailing address)

description of formations encountered

from

to

surface sand & clay 0 20
blue clay 20 50
sandstone 50 62
bottom 62

WELL LOCATION:

sec. 17 T14 N 5 R 13 E
S W
1 miles NE of Tuleloa
(distance) (direction) (nearest town)


WELL PURPOSE:

Home
(home, irrigation, municipal, industrial)

WELL COMPLETION DATA:


- (1) diameter (inches) 4"
- (2) total depth (feet) 620'
- (3) static water level (feet) 112' below above top of ground.
- (4) casing steel 23'7" (material) (depth)
(size) If telescope see back.
- (5) screen NDH (length) (depth to top)
(size) (material)
- (6) pump 1 HP 3 (HP) (yield gpm)
electric (type power)
- (7) electric log NO (yes or no)
(organization running log)
- (8) how well bottom plugged open

DRILLERS REMARKS:



If well telescopes please sketch and show depths.

GROUND LEVEL



SECTION 19

Please indicate well location X.

ADDITIONAL INFORMATION

If more than one screen, show locations of each on sketch.