

loc. quest. - no sketch

FORM 9-1642 (1-68)

Well No. M 39

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J. Monor Source of data ROWC Date 9-71 Map Egypt

State 28 County (or town) Chickasaw 09

Latitude: 33^{deg} 53^{min} 00^{sec} N Longitude: 08^{deg} 94^{min} 42^{sec} W Sequential number: 1

Lat-long accuracy: 3^{20'} 14^{30'} 50^{60'} Sec 11 NE NE NE

Local well number: M 0 3 9 A A 1 1 4 S 0 5 E Other number: B & M

Local use: 0 2 1 Owner or name: ANNIE B. PULPHUS Address: Okalona

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) ~~Updraw~~, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas: Field aquifer char.

Hvd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no; period:

Aperture cards: yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 400 ft Meas. rept accuracy 3

Depth cased: (first perf.) 25 ft Casing type: Steel Diam. 5 in

Finish: (A) porous concrete, (B) gravel w. (perf.), (C) gravel w. (screen), (D) horiz. gallery, (E) open end, (F) perf., (G) screen, (H) sd. pt., (I) shored, (J) open hole, (K) other X

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hvd jetted, (F) air rot., (G) percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other H

Date Drilled: 9-71 Pump intake setting: 30 ft 38

Driller: Heindon - Honan name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other Deep Shallow 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 1/2 5 Trans. or meter no. 41

Descrip. MP 285 ft above below LSD, Alt. MP 4 Accuracy: (source) 4

Water Level 113 ft above below MP; LSD 113 Accuracy: D

Date meas: 8-7-1 Yield: 5 gpm Method determined 5

Drawdown: 5 ft Accuracy: 5 Pumping period 5 hrs

QUALITY OF WATER DATA: Iron 5 ppm Sulfate 5 ppm Chloride 5 ppm Hard. 5 ppm

Sp. Conduct 5 K x 10⁶ Temp. 5 °F Date sampled 5

Taste, color, etc. 5

Well No. M 39

Chickasaw
M-39
8-25-71

MISSISSIPPI
 BOARD OF WATER COMMISSIONERS
 416 North State Street
 Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

Morrison-Homan Well & Supply, Chickasaw
 P. O. Box 44

8-25 1971 date well completed
 Chickasaw county well located

LANDOWNER: Annier B. Fulphur
Route 2
Okelous, Miss 38860
 (mailing address)

description of formations encountered	from	to
surface sand & clay	0	20
blue clay	20	240
sand	240	400
Bottom	400	

WELL LOCATION:
 sec. 11 T 14 S R 5 E
1 miles SW of Egypt
 (distance) (direction) (nearest town)

WELL PURPOSE: Home
 (home, irrigation, municipal, industrial)

- WELL COMPLETION DATA:
- (1) diameter (inches) 5"
 - (2) total depth (feet) 400
 - (3) static water level (feet) 113 below top of ground.
 - (4) casing steel, 25' (material) (depth)
5 (size) if telescope see back.
 - (5) screen no (length) (depth to top)
 (size) (material)
 - (6) pump 1/2 (HP) 5 (yield gpm)
electric (type power)
 - (7) electric log no (yes or no)
 - (organization running log)
 - (8) how well bottom plugged open

CODED

SEP 7 1971

MISS. BD. OF
 WATER COMM.

DRILLERS REMARKS:

