

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J. Shell Source of data Bowc Date 4/69 Map \_\_\_\_\_

State 28 County Chickasaw (or town) 09

Latitude: 33° 46' 00" N Longitude: 08° 85' 57" W Sequential number: 1

Lat-long accuracy: 3 T. 15 R. 3 S. Sec 22. NE NE NE

Local well number: 0007A.2215503E Other number: \_\_\_\_\_ B & M

Local use: 021 Owner or name: BILL JOHNSON Address: Houston, Miss

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data 7 Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ yes \_\_\_\_\_ no \_\_\_\_\_ period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: (See Bill Johnson #6 E. log #34 240-710 Ft - MCG.)

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 880 ft Meas. rept. \_\_\_\_\_

Depth cased: 859 ft Casing type: Steel ; Diam. 4.2 in \_\_\_\_\_

Finish: (C) concrete, (F) porous gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open end, (K) open end, (L) open end, (M) open end, (N) open end, (O) open end, (P) open end, (Q) open end, (R) open end, (S) open end, (T) open end, (U) open end, (V) open end, (W) open end, (X) open end, (Y) open end, (Z) open end, other \_\_\_\_\_

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jected, (F) air rot., (G) percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other \_\_\_\_\_

Date Drilled: 7:6:7 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) nose, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 3/4 \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP 343 (DH, 1991) ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 330 Accuracy: \_\_\_\_\_ (source) \_\_\_\_\_

Water Level 150 ft above MP; Ft below LSD 150 Accuracy: \_\_\_\_\_

Date meas: D.6.7 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

07



CHICKASAW  
 7  
 12-67

3 13 E  
 MISSISSIPPI  
 BOARD OF WATER COMMISSIONERS  
 416 North State Street  
 Jackson, Mississippi 39201

WATER WELL DRILLERS LOG

12/28/67 date well completed  
 Houston-Roman Well & Supply, Inc. (Chickasaw) firm name  
 SHANNON, MISSISSIPPI 38889 county well located


LANDOWNER:  
 Bill Johnson  
 Houston Miss.  
 (mailing address)

WELL LOCATION:  
 sec. 22 T 15 N R 3 E  
 S W  
 1/2 miles E of SPARTA  
 (distance) (direction) (nearest town)

WELL PURPOSE:  
 Home  
 (home, irrigation, municipal, industrial)

- WELL COMPLETION DATA:
- (1) diameter (inches) 4"
  - (2) total depth (feet) 880'
  - (3) static water level (feet) 52' below top of group.
  - (4) casing Steel 286' (material) (depth)  
 2" If telescope see back.
  - (5) screen 21' 559' (length) (depth to top)  
 2" 550' (size) (material)
  - (6) pump 3/4 HP 5 (yield gpm)  
 electric (type power) (See well log Bill Johnson E-1-7 '34)
  - (7) electric log no (yes or no)  
 Tied to state (organization running log)
  - (8) how well bottom plugged E/Wash

description of formations encountered	from	to
uniform sand	0	100
blue clay		
Blue clay sand		
strata	100	185
Blue clay		
white clay	185	260
sand	260	880
strata		



DRILLERS REMARKS:

