

WELL SCHEDULE
OFFICE OF LAND AND WATER RESOURCES

Fips 19

Well No. C600

Log No. _____

Recorded by: PPhillips Data Source: Geophysical log Date: 1/16/97

County: Choctaw Permit No.: _____ DOH No.: _____
SE

1/4: NE 1/4: NE 1/4: SW Sec.: 33 TWN: 18N RNG: 9E

Quad: Tomnolen Elevation: 375 GR (380 DF)

Plotted on quad?: Y In field? _____ From ~~drillers~~ log? Y From permit? _____

Latitude: 33° 22' 42" Longitude: 89° 21' 33" GPS? _____ From quad? X

Primary Aquifer: N/A Secondary Aquifer: _____

Use: Oil Well status: _____

Owner: Henson and Rife Co.

Address: _____

Telephone: _____ Local Well Name: Stafford-Copeland + Stafford #1

Date drilled: 1/25/1952 Driller: _____

Well depth: 3986' Well diameter: _____ Pump type: _____

Power type: _____ Pump capacity: _____

Screen interval(msl): _____ (land surface): _____

Type of logs: _____ Log interval: _____

Initial water level(l/s): _____ Date: _____

Measuring point description: _____

Water Quality Data? _____ Source: _____ Reliability: _____

Water Level Data? _____ Source: _____ Reliability: _____

Pump Test Data? _____ Source: _____ Reliability: _____

Water Use Data? _____ Source: _____ Reliability: _____

Water level data

This area for location map and notes

MISSISSIPPI BUREAU OF LAND AND WATER RESOURCES
DIVISION OF HYDROLOGIC INVESTIGATION

E-LOG RECORD

PROJECT : TUSCALOOSA MODEL
RECORD BY Schlumberger DATE 7/24/89
PROJECT LOG NO. Choctaw #1

COMPANY Henson + Rife Co WELL Stafford - Copeland
LOCATION : SEC. 33 TOWNSHIP 18N RANGE 9E
ELEVATION : DATUM GL LAND SURFACE 375'
LOGGED INTERVAL : FROM 399' TO 4385'
TOTAL DEPTH 3986' DATE 1/25/52

CONFINING BED Wilcox, Midway, Selma Group
TOP 399' BASE 1940' STRATIGRAPHIC THICKNESS 1541'
INTERBEDDED SANDS : AGGREGATE THICKNESS _____

AQUIFER EUTAW
TOP 1940' BASE 2320' STRATIGRAPHIC THICKNESS 380'
TOP FORMATION 1940' BASE FORMATION 2320'
AGGREGATE THICKNESS OF SAND BEDS GREATER THAN 20" FT THICK 112'
INTERBEDDED CLAYS : AGGREGATE THICKNESS 145'

CONFINING BED Top Gordo
TOP 2320' BASE 2463' STRATIGRAPHIC THICKNESS 143'
INTERBEDDED SANDS : AGGREGATE THICKNESS 78'

AQUIFER Gordo
TOP 2463' BASE 2528' STRATIGRAPHIC THICKNESS 65'
TOP FORMATION 2320' BASE FORMATION 2607'
AGGREGATE THICKNESS OF SAND BEDS GREATER THAN 20 FT THICK 65'
INTERBEDDED CLAYS : AGGREGATE THICKNESS 0'

CONFINING BED Bottom Gordo
TOP 2528' BASE 2607' STRATIGRAPHIC THICKNESS 79'
INTERBEDDED SANDS : AGGREGATE THICKNESS 16'

AQUIFER Coker
TOP 2607' BASE 2990' STRATIGRAPHIC THICKNESS 383'
TOP FORMATION 2607' BASE FORMATION 2990'
AGGREGATE THICKNESS OF SAND BEDS GREATER THAN 20 FT THICK 379'
INTERBEDDED CLAYS : AGGREGATE THICKNESS 4"

CONFINING BED Lower Cretaceous (Top)
TOP 2990' BASE 3000' STRATIGRAPHIC THICKNESS 10'
INTERBEDDED SANDS : AGGREGATE THICKNESS 0'

AQUIFER Lower Cretaceous
TOP 3000' BASE 3350' STRATIGRAPHIC THICKNESS 350'
TOP FORMATION 2990' BASE FORMATION 3350'
AGGREGATE THICKNESS OF SAND BEDS GREATER THAN 20 FT THICK 338'
INTERBEDDED CLAYS : AGGREGATE THICKNESS 12'

CONFINING BED Paleozoic
TOP 3350' BASE 4385' STRATIGRAPHIC THICKNESS 1035'
INTERBEDDED SANDS : AGGREGATE THICKNESS _____