FORM 9-1642
(1-68)

Well No. G 29

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR — GEOLOGICAL SURVEY — WATER RESOURCES DIVISION

PUNCHED and VERIFIED
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by: J. Shell — Source of data: Bowc — Date: 4/69 — Map:

State: 28 — County (or town): Choctaw — 10

Latitude: 33 18 16 N (deg, min, sec) — Longitude: 089 12 50 (degrees, min, sec) — Sequential number: 1

Lat-long accuracy: 5 — T. 17 N — R. 10 E — Sec. 26 — ¼, ¼, ¼ — B & M

Local well number: G029 26 17N10E — Other number:

Local use: 035 — Owner or name:

Owner or name: FLOYD FULGHAM — Address: Rt 2, Ackerman

Ownership: (C) County, (F) Fed Gov't, (M) City, (N) Corp or Co, (P) Private, (S) State Agency, (W) Water Dist — P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other — H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed — W

DATA AVAILABLE: Well data — Freq. W/L meas.: Ø — Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: — Pumpage inventory: yes no, period:

Aperture cards: yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD — Depth well: 168 ft — Meas. rept accuracy: 3

Depth cased (first perf.): 63 ft — Casing type: ; Diam. 2 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other — X

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rotary, (T) trenching, (V) driven, (W) drive wash, (Z) other — H

Date Drilled: 965 — Pump intake setting: ft

Driller: name, address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple (cent.), (M) multiple (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other — Deep / Shallow

Power (type): diesel, elec, nat gas, gasoline, hand, LP gas, wind; H.P. — Trans. or meter no.

Descrip. MP — ft above/below LSD, Alt. MP

Alt. LSD: — — Accuracy: (source)

Water Level: 45 ft above/below MP; Ft above/(below) LSD: 45 — Accuracy: D

Date meas.: 065 — Yield: gpm — Method determined

Drawdown: ft — Accuracy: — Pumping period: hrs

QUALITY OF WATER DATA: Iron ppm — Sulfate ppm — Chloride ppm — Hard. ppm

Sp. Conduct K x 10^6 — Temp. °F — Date sampled

Taste, color, etc.

Well No. G29

Well No. 629

Latitude-longitude N S d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD (1–19) Physiographic Province: 03 (20–21) Section:

D (22) Drainage Basin: 137T (23–25) Subbasin: (26)

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, swamp, (Φ) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat (27)

MAJOR AQUIFER: system, series TE (28–29) ? aquifer, formation, group TW (30–31)

Lithology: 2S (32–33) Origin: (34) Aquifer Thickness: 94 ft

194 (35–37) Length of well open to: ft 94 (38–40) Depth to top of: ft 74 (41–43)

MINOR AQUIFER: system, series (44–45) aquifer, formation, group (46–47)

Lithology: (48–49) Origin: (50) Aquifer Thickness: ft

(51–53) Length of well open to: ft (54–56) Depth to top of: ft (57–59)

Intervals Screened: open well

Depth to consolidated rock: ft (60–63) Source of data: (64)

Depth to basement: ft (65–68) Source of data: (69)

Surficial material: (70–71) Infiltration characteristics: (72)

Coefficient Trans: gpd/ft (73–75) Coefficient Storage: (76–78)

Coefficient Perm: gpd/ft^2; Spec cap: gpm/ft; Number of geologic cards: (79)

26

Well No. 629

GPO 937-142