

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by J. Shell Source of data Bowc Date 4/69 Map \_\_\_\_\_

State 28 County (or town) Choctaw 10

Latitude: 33<sup>1</sup>12<sup>2</sup>59<sup>3</sup>N<sup>4</sup> Longitude: 08<sup>12</sup>91<sup>13</sup>72<sup>14</sup>8<sup>15</sup> Sequential number: 1

Lat-long accuracy: 5<sup>16</sup> T. 16<sup>17</sup> S. R. 10<sup>18</sup> W. Sec. 29<sup>19</sup>

Local well number: J011<sup>21</sup> 2916<sup>25</sup> N10E<sup>34</sup> Other number: \_\_\_\_\_ B & M

Local use: 035<sup>35</sup> Owner or name: \_\_\_\_\_ Address: Mc Cool

Owner or name: J. C. STEVENSON<sup>52</sup> Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ <sup>67</sup> P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other \_\_\_\_\_ <sup>68</sup> H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_ <sup>69</sup> W

DATA AVAILABLE: Well data  <sup>70</sup> Freq. W/L meas.:  <sup>71</sup> Field aquifer char.  <sup>72</sup>

Hyd. lab. data: \_\_\_\_\_ <sup>73</sup>

Qual. water data; type: \_\_\_\_\_ <sup>74</sup>

Freq. sampling: \_\_\_\_\_ <sup>75</sup> Pumpage inventory:  yes  no; period: \_\_\_\_\_ <sup>76</sup>

Aperture cards: \_\_\_\_\_ <sup>77</sup> yes  no

Log data: \_\_\_\_\_ <sup>78</sup> D <sup>79</sup>

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: TD 180 ft 174 Meas. 3 <sup>24</sup>

Depth cased: (first perf.) \_\_\_\_\_ ft 168 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in \_\_\_\_\_ <sup>29</sup> 2 <sup>30</sup>

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other \_\_\_\_\_ <sup>31</sup> S

Method: (A) air bored, (B) cable, (C) dug, (D) hyd, (E) jetted, (F) air rot., (G) reverse, (H) trenching, (I) driven, (J) wash, (K) percuss, (L) rotary, (M) other \_\_\_\_\_ <sup>32</sup> H

Date Drilled: 960 <sup>33</sup> Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ <sup>36</sup> 38

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ <sup>39</sup> Deep  Shallow  <sup>40</sup>

Power (type): nat \_\_\_\_\_ LP \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_ <sup>41</sup>

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ <sup>47</sup>

Water Level 55 ft above MP; Ft below LSD 55 Accuracy: \_\_\_\_\_ <sup>52</sup> 0

Date meas: N. 6. 0 <sup>53</sup> Yield: \_\_\_\_\_ gpm \_\_\_\_\_ <sup>54</sup> Method determined \_\_\_\_\_ <sup>61</sup>

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ <sup>62</sup> Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ <sup>66</sup> 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ <sup>69</sup> Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ <sup>70</sup> Chloride \_\_\_\_\_ ppm \_\_\_\_\_ <sup>71</sup> Hard. \_\_\_\_\_ ppm \_\_\_\_\_ <sup>72</sup>

Sp. Conduct \_\_\_\_\_ K x 10 <sup>73</sup> Temp. \_\_\_\_\_ °F \_\_\_\_\_ <sup>74</sup> 76 Date sampled \_\_\_\_\_ <sup>77</sup> 79

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Well No. J 11

