

WELL SCHEDULE
OFFICE OF LAND AND WATER RESOURCES

Fips 19

Well No. K600

Log No. _____

Recorded by: PPhillips Data Source: Geophysical log Date: 1/16/97

County: Choctaw Permit No.: _____ DOH No.: _____

1/4: SE 1/4: NW 1/4: NW Sec.: 24 TWN: 16N RNG: 11E

Quad: Louisville North Elevation: 440 GR (457 DF)

Plotted on quad?: Y In field? _____ From ~~drillers~~ log? Y From permit? _____

Latitude: 33° 14' 19" Longitude: 89° 07' 25" GPS? _____ From quad? X

Primary Aquifer: N/A Secondary Aquifer: _____

Use: Oil Well status: _____

Owner: Pan American Petroleum Corp.

Address: _____

Telephone: _____ Local Well Name: #1 USA - Tambigbee Forest

Date drilled: 9/17/1964 Driller: _____

Well depth: 14,826' Well diameter: _____ Pump type: _____

Power type: _____ Pump capacity: _____

Screen interval(msl): _____ (land surface): _____

Type of logs: _____ Log interval: _____

Initial water level(lsl): _____ Date: _____

Measuring point description: _____

Water Quality Data? _____ Source: _____ Reliability: _____

Water Level Data? _____ Source: _____ Reliability: _____

Pump Test Data? _____ Source: _____ Reliability: _____

Water Use Data? _____ Source: _____ Reliability: _____

Water level data

This area for location map and notes

MISSISSIPPI BUREAU OF LAND AND WATER RESOURCES
DIVISION OF HYDROLOGIC INVESTIGATION

E-LOG RECORD

PROJECT : TUSCALOOSA MODEL
RECORD BY Schlumberger DATE 7/20/89
PROJECT LOG NO. Choctaw # 7

COMPANY Pan American Petroleum Corp. WELL # USA - Tombigea Forest
LOCATION : SEC. 24 TOWNSHIP 16N RANGE 11E
ELEVATION : DATUM D.F. LAND SURFACE 446'
LOGGED INTERVAL : FROM 60' TO 14826'
TOTAL DEPTH 14826' DATE 9/17/64

CONFINING BED Wilcox, Midway, Selma Group
TOP 60' BASE 1700' STRATIGRAPHIC THICKNESS 1640'
INTERBEDDED SANDS : AGGREGATE THICKNESS _____

AQUIFER EURAW
TOP 1700' BASE 2102' STRATIGRAPHIC THICKNESS 402'
TOP FORMATION 1700' BASE FORMATION 2102'
AGGREGATE THICKNESS OF SAND BEDS GREATER THAN ¹⁰20 FT THICK 10'
INTERBEDDED CLAYS : AGGREGATE THICKNESS 171'

CONFINING BED Top Gordo
TOP 2102' BASE 2300' STRATIGRAPHIC THICKNESS 198'
INTERBEDDED SANDS : AGGREGATE THICKNESS 15'

AQUIFER Gordo
TOP 2300' BASE 2480' STRATIGRAPHIC THICKNESS 180'
TOP FORMATION 2102' BASE FORMATION 2480'
AGGREGATE THICKNESS OF SAND BEDS GREATER THAN 20 FT THICK 146'
INTERBEDDED CLAYS : AGGREGATE THICKNESS 34'

CONFINING BED _____
TOP _____ BASE _____ STRATIGRAPHIC THICKNESS _____
INTERBEDDED SANDS : AGGREGATE THICKNESS _____

AQUIFER Coker
TOP 2480' BASE 2650' STRATIGRAPHIC THICKNESS 170'
TOP FORMATION 2480' BASE FORMATION 2850'
AGGREGATE THICKNESS OF SAND BEDS GREATER THAN 20 FT THICK 160'
INTERBEDDED CLAYS : AGGREGATE THICKNESS 10'

CONFINING BED Lower Coker
TOP 2650' BASE 2850' STRATIGRAPHIC THICKNESS 200'
INTERBEDDED SANDS : AGGREGATE THICKNESS 65'

AQUIFER Massive Sand
TOP 2850' BASE 3370' STRATIGRAPHIC THICKNESS 520'
TOP FORMATION 2850' BASE FORMATION 3370'
AGGREGATE THICKNESS OF SAND BEDS GREATER THAN 20 FT THICK 465'
INTERBEDDED CLAYS : AGGREGATE THICKNESS 55'

Being to become
salt water

CONFINING BED Paleozoic
TOP 3370' BASE _____ STRATIGRAPHIC THICKNESS _____
INTERBEDDED SANDS : AGGREGATE THICKNESS _____