

GW01317 0110005-01

No driller's log

FORM 9-1642 (1-68)

Well No. L13

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by JAC Source of data Dr. Date 3-64 Map Port Gibson

State 28 County (or town) 11

Latitude: 31 57 15 N Longitude: 09 05 58 54 Sequential number: 3

Lat/Long accuracy: 3 T 11 S, R 2 W Sec 4 R 11

Local well number: L013 041 N02E Other number: B & M

Local use: 064 Owner or name: PORT GIBSON Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist M

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: AB

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char:

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes no period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes CTHL

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 202 ft Meas. rept. accuracy 3

Depth cased (first perf.): 172 ft Casing type: \_\_\_\_\_ Diam. 24 x 12 x 10 in 12

Finish: porous gravel w. gravel w. horiz. open perf., screen, sd. pt., shored, open hole, other G

Method: air bored, cable, dug, hyd jetted, air reverse trenching, driven, drive rot., percussion, rotary, other R

Date Drilled: 10/30 963 Pump intake setting: \_\_\_\_\_ ft

Driller: Layne Central Co. name address

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other T Deep 7 Shallow 40

Power (type): diesel, nat gas, gasoline, hand, gas, wind; H.P. X Trans. or meter no. Y

Descrip. MP 112 ft above below LSD, Alt. MP

Alt. LSD: 120 Accuracy: CI 10'

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft below LSD 89 Accuracy: \_\_\_\_\_

Date meas: 10/30 063 Yield: 30 gpm 349 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

AB, replaced by  
GW-14858

Well No. L13

Well No. 413

WELL SCHEDULE

Latitude-Longitude

HYDROGEOLOGIC CARD

Physiographic Province: 0.3 Section: \_\_\_\_\_

Drainage Basin: D Subbasin: 1

Topo of well site: (C) (B) (F) (R) (K) (L) \_\_\_\_\_  
 (S) (T) (U) (V) \_\_\_\_\_  
 offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: \_\_\_\_\_  
 system series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_  
 Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_

Length of well open to: \_\_\_\_\_ Depth to top of: \_\_\_\_\_

MINOR AQUIFER: \_\_\_\_\_  
 system series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_  
 Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_

Length of well open to: \_\_\_\_\_ Depth to top of: \_\_\_\_\_

Interval Screened: 30 of 100 ft. 8 screens

Depth to consolidated rock: \_\_\_\_\_ ft. Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft. Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft. Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft. Spec. cap: \_\_\_\_\_ gpm/ft. Number of geologic cards: \_\_\_\_\_

SOFT COPY COMPUTATION REQUIRED  
PUNCHED AND SERIALIZED



DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR  
PUBLIC SUPPLY WELLS PROJECT

GPS LOG

USGS #: L00B HEALTH DEPT. #: 110005-01 OLWR #: GW-01317

OWNER: Port Gibson, Town of COUNTY: Claiborne

LOCATION: \_\_\_\_\_

QUAD: Port Gibson ELEV: \_\_\_\_\_

GPS FIELD LOCATION: LAT: ~~31.95725~~ LONG: ~~90.98667~~

LOCATION DESCRIPTION: @ intersection of chinguepin + Main Street abandoned site just north of intersection on west side of Main Street.

CASING DIAMETER: \_\_\_\_\_ PUMP TYPE AND H.P.: \_\_\_\_\_

USER NAME(S) RLB DATE: Feb 1-2005 PICTURE #: \_\_\_\_\_

REMARKS:

Tagged

March 22-2005 across the street from Claiborne County Health Center. Permit folder states that well is destroyed + is a same location as replacement well GPS 31.95833, 90.98532

DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR  
PUBLIC SUPPLY WELLS PROJECT

GPS LOG

USER NAME(S): Richard Ingram DATE: 0-10-98

UNIT DEQ #: OPC/GWPB FILE #: \_\_\_\_\_

HEALTH DEPT. #: 0110005-01 ELEV. 112

USGS #: L13 OLWR #: GW1317

OWNER: Town of Port Gibson QUAD: Port Gibson

LOCATION: NW 1RR 1RR S 4 T 11 N R 2 E COUNTY: Clairborne

LOCATION DESCRIPTION: On Main St. across from Health Dept.

CASING DIA: \_\_\_\_\_ PUMP TYPE & SIZE: \_\_\_\_\_


GPS ~~FIELD~~ LOCATION: LAT. 31.958242 LONG. 90.985222

\* GPS CORRECTED LOCATION: LAT. 31°57'29.67" LONG. 90°59'06.80"


REMARKS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

verified MSDH well tag #

\* real-time, corrected and averaged data collected



6W0005-01  
 L13  
 6W01317



Map center is 31° 57' 30"N, 90° 59' 07"W (WGS84/NAD83)  
**Port Gibson** quadrangle  
 Projection is UTM Zone 15 NAD83 Datum

M=1.027  
 G=1.067