

PUNCHED and  
ROLLA COMPUTATION BRANCH

WRD Exp. (GW)  
April 1966

Well No. A45

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by B Source of data BWC Date 3 68 Map \_\_\_\_\_

State 28 County (or town) Clark 12

Latitude: 321000 N Longitude: 0885300 Sequential number: 1

Lat-long accuracy: 6 T. \_\_\_\_\_ S, R \_\_\_\_\_ W, Sec \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_

Local well number: A045 2804N14E Other number: \_\_\_\_\_ B & M

Local use: 008 Owner or name: \_\_\_\_\_

Owner or name: HOWARD EDMONSON Address: Rt 1 Enterprise

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Stock, Instit, Unused, Reppure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 230 Meas. rept \_\_\_\_\_ accuracy \_\_\_\_\_ 3

Depth cased; (first perf.) \_\_\_\_\_ ft 59 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 4

Finish: porous gravel w. concrete, (perf.), (screen), gravel w. (screen), horiz. gallery, end, open perf., screen, sd. pt., shored, open hole, other \_\_\_\_\_ X

Method Drilled: (A) air, (B) bored, (C) cable, (D) dug, (H) rot., (J) hyd, (P) jetted, (R) air percussion, (T) reverse, (U) trenching, (V) driven, (W) drive wash, (Z) other \_\_\_\_\_ H

Date Drilled: 964 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: McDonald & Son name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): nat, diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ LP \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_ 47

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft. below LSD 50 Accuracy: \_\_\_\_\_ D

Date meas: 964 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

A45

