

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

5 mi S. of Enterprise
MASTER CARD

Record by MAH Source of data BOWC Date 6/25/75 Map

State 28 County (or town) Clarke 12

Latitude: 32° 07' 25" N Longitude: 088° 51' 55" W Sequential number: 1

Lat-long accuracy: 5 T 3 S, R 14 W, Sec 4, SE SE

Local well number: F036D.D0403N14E Other number: B & M

Local use: 160 Owner or name: JACK KEITH

Owner or name: JACK KEITH Address: Enterprise, MS.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no, period:

Aperture cards: yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 517 ft Meas. rept accuracy 3

Depth cased; (first perf.) 304 ft Casing type: PVC; Diam. 4 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole, other X

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air percuss, (P) reverse, (R) rotary, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 975 Pump intake setting: 33 ft

Driller: Williamson Drilling Co. name address

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other 5 Deep 5 Shallow 40

Power (type): diesel, (elec) gas, gasoline, hand, gas, wind; H.P. 1/2 5 Trans. or meter no. 5

Descrip. MP 3 ft above below LSD, Alt. MP 3

Alt. LSD: 3 Accuracy: (source) 3

Water Level: 110 ft above below MP; 110 ft above below LSD Accuracy: D

Date meas: 375 Yield: 110 gpm Method determined 61

Drawdown: 3 ft Accuracy: 3 Pumping period 30 hrs 68

QUALITY OF WATER DATA: Iron 69 ppm Sulfate 70 ppm Chloride 71 ppm Hard. 72 ppm Sp. Conduct 73 K x 10⁶ Temp. 74 °F Date sampled 77

Taste, color, etc. 78

