

FORM 9-1642 (1-68)

Well No. D26

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

JAN 24 1973

MASTER CARD

Record by ef Source of data MBOUC Date 5-24-72 Map _____

State 28 County (or town) Clay 73

Latitude: 33° 39' 45" N Longitude: 088° 51' 02" W Sequential number: 1

Lat-long accuracy: 30 T. 16 S R. 4 E Sec 26 NW, 1/4 NW, 1/4 NE

Local well number: D026BA2616SC4E Other number: _____ B & H

Local use: 330 Owner or name: _____ Address: Padon Bluff

Owner or name: PAYTON FETTY Address: _____

Ownership: County, Fed Gov't, (M) City, Corp or Co, Private, (S) State Agency, Water Dist _____

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Reppure, (P) Recharge, (Q) Desal-P S, (R) Desal-other _____

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed _____

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data: _____

Qual. water data; type: _____

Freq. sampling: _____ Pumpage inventory: yes no period: _____

Aperture cards: _____ yes

Log data: _____

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: _____ ft 700 Meas. rept. accuracy _____

Depth cased; (first perf.) _____ ft 27 Casing type: Steel; Diam. _____ in 5

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. gallery, (I) open perf., (J) screen, (K) sd. pt., (L) shored, (M) other _____

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air percussion, (G) reverse, (H) trenching, (I) driven, (J) drive wash, (K) other _____

Date Drilled: 4-13-72 7:2 Pump intake setting: _____ ft _____

Driller: Wendy Haman's Well Supply address _____

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) turb., (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other _____ Deep Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.E. 3/4 Trans. or meter no. _____

Descrip. MP _____ ft above _____ ft below LSD, Alt. MP _____

Alt. LSD: _____ Accuracy: (source) _____

Water Level _____ ft above _____ ft below LSD 140 Accuracy: _____

Date meas: 4-7-72 Yield: _____ gpm _____ Method determined _____

Drawdown: _____ ft _____ Accuracy: _____ Pumping period _____ hrs _____

QUALITY OF WATER DATA: Iron _____ Sulfate _____ Chloride _____ Hard. _____

Sp. Conduct _____ K x 10⁶ _____ Temp. _____ °F _____ Date sampled _____

Taste, color, etc. _____

Well No.

7

Well No. D26

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

03 03 Physiographic Province: 03 Section: _____

13E Drainage Basin: 13E Subbasin: _____

(D) (C) (E) (F) (H) (K) (L)
Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp,
well site: (O) (P) (S) (T) (U) (V)
offshore, pediment, hillside, terrace, undulating, valley flat _____

MAJOR AQUIFER: _____ series: K3 aquifer, formation, group: E2

Lithology: _____ Origin: _____ Aquifer Thickness: 140 ft

Length of well open to: _____ ft 140 Depth to top of: _____ ft 560

MINOR AQUIFER: _____ series: _____ aquifer, formation, group: _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft

Length of well open to: _____ ft _____ Depth to top of: _____ ft _____

Intervals Screened: NONE


Depth to consolidated rock: _____ ft _____ Source of data: _____

Depth to basement: _____ ft _____ Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft _____ Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No. D26

CLAY
D26
4-13-72

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

WATER WELL DRILLERS LOG

CODED

4/13 1972 Herndon-Homan Well & Supply, Inc. Clay
date well completed firm AmBox 42 county well located
SHANNON, MISSISSIPPI 38868

LANDOWNER:	description of formations encountered	from	to
Rayton Peltz	Surface sand & clay	0	25
RTI, Cedar Bluff, Missi.	Blue clay	25	562
(mailing address)	Sand	562	700
	Bottom	700	
WELL LOCATION:			
sec 26 T 16 N R 4 E			
1 3/4 miles NW of Griffith			
(distance) (direction) (nearest town)			
WELL PURPOSE: Home			
(home, irrigation, municipal, industrial)			
WELL COMPLETION DATA:			
(1) diameter (inches)	5 1/2"		
(2) total depth (feet)	700		
(3) static water level (feet)	140' below top of ground		
(4) casing (material)	steel, 27 1/2"		
(size)	5" If telescope see back.		
(5) screen (length)	20 (depth to top)		
(size)	(material)		
(6) pump (HP)	3/4 (yield gpm)		
(type power)	electric		
(7) electric log (yes or no)	NO		
(organization running log)			
(8) how well bottom plugged	open		
DRILLERS REMARKS:			

CODED

If well telescopes please sketch and show depths.

GROUND LEVEL

		X	

SECTION 26

Please indicate well location X.

ADDITIONAL INFORMATION

If more than one screen,
show locations of each on sketch.

