

DOH # 130016-01
GW 01346
GPSd 4/14/99 AH/MO

permitted
GW 1346 Montpelier
MAY 28 1975
D 31
E Log # 53
PUNCHED
Vgo

FORM 9-1642
(1-68)

Well No.

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Bowc

Record by WTO Source of data Obs driller Date 6/10/74 Map MONTPELIER 134A

State Ms 9 28 County (or town) CLAY 13

Latitude: 33⁴⁰44^N Longitude: 08⁸54²⁷ Sequential number: 1

Lat-long accuracy: 2⁵⁰ T 16^N R 4^E W. Sec 20 NW t. NW t. NE t. NE/NE/NE/NW

Local well number: D 0 3 1 B A 2 0 1 6 S 0 1 E Other number: Beasley well

Local use: 3 3 0 0 5 3 Owner or name:

Owner or name: SILVAM W A Address:

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec,

water: (S) (T) (U) (V) (W) (X) (Y) (Z) P
Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other

Use of well: (A) (D) (G) (H) (O) (P) (R) (T) (U) (V) (X) (Z) W
Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed.

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data: Type:

Freq. sampling: Pumpage inventory: period:

Flow cards:

Log data: E loc 10' - 930' D E

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 909 Meas. 3

Depth cased: split screen 775 Casing type: 8 Diam. 8 x 1 in

Finish: porous gravel w. gravel w. horiz. open perf., screen, ad. pt., shored, open hole, other S

Method: (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (Z) H
Drilled: air bored, cable, dur, hvd jetted, air reverse trenching, driven, drive wash, other

Date Drilled: 10-10-74 974 Pump intake setting: 25 ft

Driller: Hearden Well Sup Shannon

Lift (type): (A) (B) (C) (J) multiple, multiple, none, piston, rot, submerg, turb, other T Deep Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 25 V Trans. or meter no.

Descrip. MP 292 (12/89) above ft below LSD, Alt. MP

Alt. LSD: 220 Accuracy: topo

Water Level: 125 Accuracy: D

Date meas: 475 Yield: 117 Method determined

Drawdown: 475 Accuracy: 117 Pumping period: 117 hrs

QUALITY OF WATER DATA: Iron 49 Sulfate 70 Chloride 71 Hard. 72

Sp. Conduct 73 K x 10⁶ Temp. 74 75 Date sampled 76 77 78

Taste, color, etc.

Well No.

Latitude-longitude N
S

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: _____

D Drainage Basin: 13E Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink; swamp, (C) (E) (F) (H) (K) (L) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat _____

MAJOR AQUIFER: system _____ series K3 aquifer, formation, group E2

Lithology: _____ Origin: 6 Aquifer Thickness: _____ ft

Length of well open to: _____ ft 50 Depth to top of: _____ ft 465

MINOR AQUIFER: system _____ series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft

Length of well open to: _____ ft _____ Depth to top of: _____ ft _____

Intervals Screened: _____

Depth to consolidated rock: _____ ft _____ Source of data: _____



Depth to basement: _____ ft _____ Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft _____ Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____

12/5/90
190.00
-28.65
161.35
-3.05 m p
158.30




Griffin
W. E.

(A)

If well telescopes please sketch and show depths.

GROUND LEVEL



		X	

SECTION 20

Please indicate well location X.

ADDITIONAL INFORMATION

420' 4" Column
63' Lap pipe, 4"

2 Cu yd gravel
PACK

4" BWV

If more than one screen,
show locations of each on sketch.

DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR
PUBLIC SUPPLY WELLS PROJECT

GPS LOG

USER NAME(S): MO/94 DATE: 4-14-99

UNIT DEQ #: _____ FILE #: D04147C

HEALTH DEPT. #: 13006-01 ELEV.: ~ 275

USGS #: D31 OLWR #: GW01346

OWNER: Siloam WA. Bleasley #1 QUAD: Montpelier

LOCATION: NE NW 3 20 T 165 R 4 E COUNTY: CLAY

LOCATION DESCRIPTION: Well located in fence with blue
pumphouse ⁵/_{west} of elevated water tower


CASING DIAM: _____ PUMP TYPE AND SIZE: Sub


GPS FIELD LOCATION: LAT: 33° 40' 47.3 N LONG: 88° 54' 15.9 W

GPS CORRECTED: LAT: 33.680525 LONG: 88.905822

REMARKS: GPS AT Well

8172





(PALO ALTO)

8 MI. TO MISS. 50

T 21 N