

NO. ONE AT HOME

Muldon

Replotment

FORM 9-1642 (1-68)

Well No. H52

WELL SCHEDULE  
GEOLOGICAL SURVEY

U. S. DEPT. OF THE INTERIOR

PUNCHED PUNCHED  
MINERAL RESOURCES DIVISION

JAN 24 1973 DEC 7 1972

MASTER CARD

Water Level  
Data  
12/1/82  
WL=175.3

Record by Wardson Source of data OWNER Date 4/8/64 Map MULDON 135-A

State 27 28 County (or town) Clay 13

Latitude: 33 38 45 N Longitude: 08 8 37 5 S Sequential number: N 2

Lat-long accuracy: 4 1 6 0 R 6 0 E Sec 36 SE 1 NW 4 SW 1 SW 1

Local well number: H 0 5 2 C 3 6 1 6 3 0 6 E Other number: B & H

Local use: 1 1 5 Owner or name: RALPH WEEEMS Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type: P

Freq. sampling:  Pumpage inventory:  period:

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 440 Meas. 6

Depth cased: 40 Casing type: 4 Diam. 4

Finish: porous concrete, gravel v. concrete, gravel v. (screen), horiz. gallery, end, open perf., screen, ad. pt., shored, open hole, other H

Method Drilled: air bored, cable, dug, hyd jet, air reverse, percussion, rotary, trenching, driven, drive wash, other H

Date Drilled: 458 Pump intake setting: 33

Driller: Simmons address \_\_\_\_\_

Lift (type): air, bucket, centrifugal, multiple, multiple, nose, piston, rot, submerg, turb, other J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ above 275 ft below LSD, Alt. MP \_\_\_\_\_ Accuracy: 5

Alt. LSD: 275 Accuracy: 5

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled 464

Taste, color, etc. \_\_\_\_\_

WL=178.90  
10/4/78

WELL NO.

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

**GENUINE**  
**FINISHED**  
SAME AS ON MASTER COPY  
Province: \_\_\_\_\_  
District: \_\_\_\_\_

Section: 03

Subbasin: 13E

Topo of well site: (D) depression, stream channel, dunes, flat, (R) hilltop, sink, swamp, (E) pediment, (F) hillside, (G) terrace, (H) undulating, (I) valley flat  
offshore, pediment, hillside, terrace, undulating, valley flat H

MAJOR AQUIFER: system \_\_\_\_\_ series 23 aquifer, formation, group EU

Lithology: \_\_\_\_\_ Origin: 6 Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_



Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

N ↑

R=137 T=A+190 #82MAPK 191=SASRABA\*



Well No. \_\_\_\_\_