



file

Strong

FORM 9-1642 (1-68)

Well No. 11

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

JAN 24 1973

Record by Shaw Source of data Tenant Date 8-16-56 Map

State 28 County 13 (or town)

Latitude: 33 38 11 N Longitude: 08 8 34 5 5 Sequential number: 1

Lat-long accuracy: 2 T. 16 S. R. 7 Sec 32 NW, SE, SE

Local well number: 1001DD3216S07E Other number: B & H

Local use: 115 Owner or name:

Owner or name: W. B. BRYAN Address: West Point

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other S

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory: yes  no, period:

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 409 ft Meas. rept accuracy 6

Depth cased: 40 ft Casing type: 6 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, end, open perf., screen, sd. pt., shored, open hble, other X

Method: air bored, cable, dug, hyd jetted, air rot., percussion, rotary, reverse trenching, driven, drive wash, other H

Date Drilled: 33 35 Pump intake setting: 36 38 ft

Driller: Shaw name address

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 3/4 S Trans. or meter no.

Descrip. MP 260' (12/89) above ft below LSD, Alt. MP

Alt. LSD: 255 Accuracy: (source) 5

Water Level: 110 ft above MP; Ft below LSD Accuracy: 6

Date meas: 55 Yield: 55 gpm Method determined 61

Drawdown: 55 ft Accuracy: 60 Pumping period hrs 66

QUALITY OF WATER DATA: Iron ppm 69 Sulfate ppm 70 Chloride ppm 71 Hard. 72

Sp. Conduct 73 K x 10 74 Temp. 74 74 Date sampled 77 79

Taste, color, etc.

Well No.

Well No. \_\_\_\_\_

Latitude-longitude: \_\_\_\_\_ N  
S  
d m s d m s

HYDROGEOLOGIC CARD

**0213018** Physiographic **0.3** Section: \_\_\_\_\_  
Province: \_\_\_\_\_

**D** Drainage **136** Subbasin: \_\_\_\_\_  
Basin: \_\_\_\_\_

**ETEP AS HAL** (C) (E) (F) (H) (K) (L)  
Topo of depression, stream channel, dunes, flat, **hilltop**, sink, swamp,  
well site: (O) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ **H**

MAJOR **K 3** aquifer, formation, group **E 2**  
AQUIFER: system series \_\_\_\_\_ thickness \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: **6** Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_  
AQUIFER: system series \_\_\_\_\_ thickness \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_



Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

map on original



Well No.