

Waverly

FORM 9-1642 (1-68)

Well No. 577

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

JAN 24 1973

MASTER CARD

Record by B.D. Source of data BOWC Date 1-72 Map

State 28 County (or town) Cren

Latitude: 33 34 45 N Longitude: 08 83 33 W Sequential number: 1

Lat-long accuracy: 10' T 17' S R 7' E Sec 22 SW 1/4 NW 1/4 SW 1/4

Local well number: 51077 BC 2217507E Other number: B & M

Local use: 021 Owner or name: GENE PITTMAN JR

Owner or name: GENE PITTMAN JR Address: ...

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec,

water: (S) (T) (U) (V) (W) (X) (Y) (Z) 1

Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other

Use of (A) (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z)

well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. 2

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no; period:

Aperture cards: yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 340 Meas. 3

Depth cased: 34' 8" Casing type: 9; Diam. in 5

Finish: porous gravel w. gravel w. horiz. open perf., screen, sd. pt., shored, open hole, other

Method (A) (B) (C) (D) (E) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z)

Drilled: air bored, cable, dig, hnd jetted, air reverse trenching, driven, drive rot., rot., percussion, rotary, wash, other

Date Drilled: 4-18-68 Pump intake setting: ft

Driller: H. H. - H. address

Lift (A) - (B) (C) (J) (L) (M) (N) (P) (R) (S) (I) (O) Deep Shallow

Power (type): diesel, etc., gas, gasoline, hand, gas, wind; H.P. 7 Trans. or meter no. 5

Descrip. MP ft above below LSD, Alt. MP

Alt. LSD: 205 Accuracy: (source) 5

Water Level 50 ft above below MP; Ft below LSD Accuracy: 5

Date meas: 4-18-68 Yield: 5 gpm Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10 Temp. °F Date sampled

Taste, color, etc.

WELL NO.

Well No. 577

Latitude-longitude _____
d m s d m s

HYDROGEOLOGIC CARD

ARIZONA
State: ARIZONA
County: COCHISE

Physiographic Province: _____ Section: _____

Drainage Basin: 13E Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (M) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat _____

MAJOR AQUIFER: _____ system _____ series K3 _____ aquifer, formation, group E2

Lithology: _____ Origin: 6 Aquifer Thickness: 100 ft

Length of well open to: _____ ft 100 Depth to top of: _____ ft 240

MINOR AQUIFER: _____ system _____ series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft

Length of well open to: _____ ft _____ Depth to top of: _____ ft _____

Intervals Screened: _____


Depth to consolidated rock: _____ ft _____ Source of data: _____

Depth to basement: _____ ft _____ Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft _____ Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No. _____

577

CLAY
J 77
4-68

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

4/12 1968 Herndon-Horman Well & Supply, P.O. Box 42, Shannon, Mississippi 39068
date well completed firm name Box 42 county well located
SHANNON, MISSISSIPPI 39068

LANDOWNER:	description of formations encountered	from	to
Eugene Pittman, Jr. Rt 2 West Point, Miss. (mailing address)			
WELL LOCATION:			
sec 22 T 11 N R 7 E 4 miles SE of West Point (distance) (direction) (nearest town)			
WELL PURPOSE: Home (home, irrigation, municipal, industrial)			
WELL COMPLETION DATA:			
(1) diameter (inches) 5			
(2) total depth (feet) 340			
(3) static water level (feet) 50 below top of ground.			
(4) casing (material) steel, (depth) 34' 8"			
(5) screen (size) 5 (length) NO (depth to top) NO (material)			
(6) pump (HP) 3/4 (yield gpm) 5 electric (type power)			
(7) electric log (yes or no) NO (organization running log)			
(8) how well bottom plugged open			
DRILLERS REMARKS: L-205 see log p. 20			

CODED

