

FORM 9-1642 (1-68)

Well No. J92

WELL SCHEDULE  
GEOLOGICAL SURVEY

U. S. DEPT. OF THE INTERIOR

WATER RESOURCES DIVISION

**PUNCHED**  
**JAN 24 1977**

MASTER CARD

Record by B. D. Source of data BOWC Date 5-72 Map \_\_\_\_\_

State 28 County Day (or town) \_\_\_\_\_

Latitude: 33° 34' 32" N Longitude: 088° 34' 56" W Sequential number: 1

Lat-long accuracy: 17 Sec 20 NWSE, SE, SE

Local well number: 2092DD2017507E Other number: \_\_\_\_\_

Local use: 021 Owner or name: \_\_\_\_\_

Owner or name: JAMES GIRIBS Address: W. 7 st

Ownership: County (C), Fed Gov't (F), City (M), Corp or Co (N), Private (P), State Agency (S), Water Dist (W) \_\_\_\_\_

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Reppure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other \_\_\_\_\_

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no  period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 330 ft Meas. rept. accuracy \_\_\_\_\_

Depth cased: (first perf.) \_\_\_\_\_ ft Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (screen), gallery, end, horiz. open perf., screen, sd. pt., shored, open hole, other \_\_\_\_\_

Method drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air reverse, (F) percuss, (G) rot, (H) percuss, (I) rotary, (J) driven, (K) drive wash, (L) other \_\_\_\_\_

Date drilled: 7-6-71 Pump intake setting: \_\_\_\_\_ ft

Driller: H. ... name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) noise, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): nat \_\_\_\_\_ LP \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 220 Accuracy: (source) \_\_\_\_\_

Water Level: 50 ft above MP; 50 ft below LSD Accuracy: \_\_\_\_\_

Date meas: 3-6-71 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

Well No. J92

Latitude-longitude N  
S  
d m s d m s

HYDRO **CHINA**

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

Basin: 13E Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat (F) (R) (K) (L) (S) (T) (U) (V) \_\_\_\_\_ 27

MAJOR AQUIFER: system \_\_\_\_\_ series K3 aquifer, formation, group E2

Lithology: \_\_\_\_\_ Origin: G Aquifer Thickness: 120 ft

Length of well open to: \_\_\_\_\_ ft 120 Depth to top of: \_\_\_\_\_ ft 200

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

CLAY MISSISSIPPI BOARD OF WATER COMMISSIONERS

9J92  
3-23-61

WATER WELL DRILLERS LOG  
HERNDON WELL & SUPPLY

H-306  
**CODED**

Date: March 23, 1961, Driller: SHANNON, MISSISSIPPI County Clay  
(Name)

|   | Description & Color of Materials<br>Sand, Clay, Red Clay, Shell, etc. | Thick-<br>ness<br>Feet  | Depth<br>Feet |
|---|---|-------------------------|---------------|
| (1) Owner of Land: <u>James Gibbs</u><br>(Name)<br><u>4946604</u><br><u>OLD WAVERLY RD</u><br><u>West Point</u><br>(Address)                                  | <u>small clay</u>   |                         | <u>0</u>      |
| (2) Location: <u>SE 1/4, SE 1/4, Sec. 20, T. 15 N. R. 10 E.</u><br><u>1/2</u> miles <u>East</u> of <u>West Point</u><br>(distance) (direction) (Nearest Town) | <u>Blue rock</u><br><u>to</u><br><u>sand</u><br><u>to</u>             | <u>18</u><br><u>200</u> | <u>18</u>     |
| (3) Topography: <u>Flat</u><br>(Hilly) (Flat) (Level)   | <u>Bottom</u>   | <u>320</u>              |               |
| (4) Purpose of Well: <u>Home</u><br>(Domestic Irrigation<br>Municipal, Industrial, Other)   |   |                         |               |


Information upon completion of well:

- (1) Diameter 4 inches.
- (2) Total Depth 320 feet.
- (3) Water Level 55 feet below top of ground.
- (4) Cased to 22', Size 4"
- (5) Screen: Size —, Length —
- (6) Were any formations sealed against pollution?  
✓ yes, — no.

If YES depth of formation 20'  
Why Surface & Sand

Drillers Remarks: \_\_\_\_\_

**CODED**



(Use Back Side)

Well No.

Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson. Miss.

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

