GW 6239

Friars Point

36

1/81 WTO

Recorded by RAM / JHH

Date 9-16-82

U.S. GEOLOGICAL SURVEY
WATER RESOURCES DIVISION
MISSISSIPPI DISTRICT
WELL RECORD

Well No. E-20 ~~1~~

E-Log No.

County Coahoma

Elev. 168'

Site ID 34 1548 090 3822 01 (5 ... 19) | R=0* | T= A * | 2=W*

GEN. SITE DATA

Data reliab. 3= C * (C U) | Report. agency 4=USGS* | Dist. 6=28* | 7=28* | Co. 8= 027 *

Lat. / Long. / 9= 341548 * | 10= 0903822 * | Well No. 12= E036 *

Location 13= SW SW S 29 T 28N R 04W * (Irreg.) | Alt. 16= 168. *

Hyd. Unit(OWDC) 20= * | Date 21= 09/16/1982 *

Well use 23= W * | Water Use 24= I * | Hole depth 27= * | Well depth 28= 110. *

WL 30= 19. * | Date 31= 09/16/1982 * | Source 33= S *

Status 273 = * | Project No. 5= *

OWNER

R=158* | T= A * | Date 159# 01/01/1982 * | Owner No.

Owner 161# W C STOVALL *

Permit Owner: Water Loo, Inc.

FIELD QW

R=192* | T= A * | Date 193# * | Temp. 196#00010* | 197= *

R=192* | T= A * | Date 193# * | Cond. 196#00095* | 197= *

R=192* | T= A * | Date 193# * | pH 196#00400* | 197= *

CONSTR.

R=58* | T= A * | 59# 1* | Date 60= 01/01/1982 * | Remarks

Drlg. 63= * | Name | Method 65= R * | Finish 66= S *

CASING

R=76* | T= A * | 59#1*

Top csgn. 77# 0. * | Bot. csng. 78= * | Diam. 79# 16. *

R=76* | T= A * | 59#1*

Top csng 77# * | Bot. csgn. 78= * | Diam. 79# * |

OPENINGS

R=82* | T= A * | 59#1* | Top 83# * | Bottom 84= *

Type 85= * | Diam. 87= * | Size 88= *

R=82* | T= A * | 59#1* | Top 83# * | Bottom 84= *

Type 85= * | Diam. 87= * | Size 88= *

YIELD

R= * | T= A * | 147# 1 * | Q 150= * | Q/S 272= *

134 flows 146 pumped

LIFT

R=42* | T= A * | Lift type 43# T * | Intake 44= * | Power type 45= D *

Date 38= 09/16/1982 * | H.P. 46= *

LOGS

R=198* | T= A * | Log 199# * | Top 200= * | Bot 201= *

R=198* | T= A * | Log 199# * | Top 200= * | Bot 201= *

R=189* | T= A * | E Log No. 190# * | 191= M I S S D I S T *

ANAL.

R=114* | T= A * | Year 115# * | 117= * | 120= *

AQUIFERS

R=90* | T= A * | 256# 1 * | Top 91= * | Bot 92= *

Unit ID 93= 112MRVA * | Name of Unit

R=90* | T= A * | 256# 1 * | Top 91= * | Bot 92= *

Unit ID 93= * | Name of Unit

HYDRAULICS

R=98* | T= A * | 99# 1 * | Unit tested 100= * | 103= *

R=105* | T= A * | 99# 1 * | Test No. 106# *

107= * | Transmissivity (gal/d)/ft

108= * | Hydraul. cond. (gal/d)/ft$^2$

110= * | Storage coeff. | Boundaries

R=121* | T= A * | Yr Begin 122# 1982 * | Network 258 # *

Water Level Data Collection (1)

Layne-Central Turbine
Diesel driven
Dia. Casing ≃ 16.00"

9-16-82

Held 32.00
Cut 12.60
19.40 ✓
MP .60
18.80




$E_S$ = (+149.2')

Note: This well may be E-35




Layne Central Turbine
Desiel driven
dia: Casing 16"

Mt Pisgah Ch
Indian Mounds
Carson Cem
McWilliams Rd
Stovall
BM 175
Sunflower
BR 162
River
Oak Ridge Ch
BM 174
BM 170
Oak Ridge Cem
Lone Oak Ch
Lonesome Pine Cem
Farrell Ch
Farrell
Farrell-Lambert Rd
Pee Dee Cem
Friars Point Quad
CO-1
E-36
E-37
E-32
CLARKSDALE (CH.) 5 MI.
6 MI. TO U.S. 61
CLARKSDALE (CH.) 6 MI.
7 MI. TO U.S. 61
T 28 N
T 27 N
R. 5 W.
R. 4 W.
3798
3797
3796
3795
3794000m N.
715000m E.
590 000 FEET
(ARK.)
17'30"
34°15'
90°37'30"
400 000 FEET (ARK.)
40'
INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C.—1965
1 MILE
7000 FEET
LOMETER
ROAD CLASSIFICATION
Medium-duty
Light-duty
Unimproved dirt
2852 II
(CLARKSDALE)
1:62 500