

GW4974 87B  
DOI # 140002-03

PCA 6/8/9

FORM 9-1642  
(1-68)

Well No. J16

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

C3=C, C5=SPRT

Record by J Smith Source of data \_\_\_\_\_ Date 7/70 Map CLARKSDALE (B7B)

State 16 County 28 (or town) Coahoma 40 Sequential number: 14

Latitude: 34 12 20 N Longitude: 090 36 28 W

Lat-long accuracy: 2 0 T 27 S R 4 0 Sec 15 SE SW 15 min sec 18

Local well number: J016CD1527N04W Other number: City #7 Deep

Local use: 064 Owner or name: #16

Owner or name: CLARKSDALE Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist M

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Repressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other P

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: MSBOW

Freq. sampling:  Pumpage inventory:  no. period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 600 Meas. 6

Depth cased: \_\_\_\_\_ Casing type: \_\_\_\_\_; Diam. 1.6

Finish: (A) porous concrete, (B) gravel w. (C) gravel w. (D) horz. (E) open (F) perf., (G) screen, (H) sd. pt., (I) shored, (J) open hole, (K) other G

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) trenching, (J) driven, (K) drive wash, (L) other H

Date Drilled: 954 Pump intake setting: \_\_\_\_\_ ft

Driller: Loyne Central

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other T Deep 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 150 Trans. or meter no. W

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 170 Accuracy: 3

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ ft below LSD 27 Accuracy: G

Date meas: 155 Yield: 250 # gpm 1965 Method determined 61

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMMUNICATION BRANCH

4/28/95  
30.30

10/24/89  
31.33

12/9/60  
50  
13.85  
30.15  
MP 2.0

31  
130

Well No.



DATA SHEET-VERIFICATION CHECKLIST

COUNTY CORHOMA

CLARKSDALE QUAD

WELL OWNER CLARKSDALE #7 well

CHECKED

U.S.G.S. NO. J-16

JNJA

B.O.H. NO 140002-03

JNJA

OLWR NO. \_\_\_\_\_

LOCATION:

MAP SE, SW, SE S15, T27N, R4W

JNJA

GPS \_\_\_\_\_

ELEV. (MSL) 168'

JNJA

W.L. (L.S.) (1) - 30.3' 6-28-95

JNJA

(2) - 30.35'

JNJA

HEAD (MSL) 137.65'

JNJA

SCREENED INTERVAL ? - 600' (LS) | ? - 432' (MSL)

JNJA

AQUIFER VERIFIED SPARTA

JNJA

PREVIOUS W.L. - 31.33' (10/24/89) | - 34.15' (12/9/89) | - 27' (1-1-55)

JNJA

DATA ENTERED \_\_\_\_\_