

W.C. Lockett - land owner

Tutwiler

1/81 WTO

Recorded by RAM/SH  
Date 9-15-82

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT

Well No. M-72  
E-Log No. \_\_\_\_\_  
County Coahoma

WELL RECORD Elev. 157

Site ID 340442090275001 R=0\* T=A\* 2=W\*

Data reliab. 3=C\* Report. agency 4=USGS\* Dist. 6=28\* 7=28\* Co. 8=027\*

GEN. SITE DATA

Lat. \_\_\_\_\_ Long. 9=340442\* 10=0902750\* Well No. 12=M072\*

Location SW NE 13=NWNW S 02 T 25 N R 03 W\* Alt. 16=157\* 150

In  $\phi$  grid  $\rightarrow$  Hyd. Unit (OWDC) 20= \_\_\_\_\_ Date 21=0911511982\*

Well use 23=W\* Water Use 24=I\* Hole depth 27= \_\_\_\_\_ Well depth 28=110\*

WL 30=21\* Date 31=0911511982\* Source 33=S\*

Status 273= \_\_\_\_\_ Project No. 5= \_\_\_\_\_

OWNER

R=158\* T=A\* Date 159#0911511982\* Owner No. \_\_\_\_\_

Owner 161#W.C. LUCKETT\*

FIELD QW

R=192\* T=A\* Date 193# \_\_\_\_\_ Temp. 196#00010\* 197= \_\_\_\_\_

R=192\* T=A\* Date 193# \_\_\_\_\_ Cond. 196#00095\* 197= \_\_\_\_\_

R=192\* T=A\* Date 193# \_\_\_\_\_ pH 196#00400\* 197= \_\_\_\_\_

CONSTR.

R=58\* T=A\* 59# 1\* Date 60=0911511982\* Remarks \_\_\_\_\_

Drlg. 63= \_\_\_\_\_ Name \_\_\_\_\_ Method 65=R\* Finish 66=S\*

CASING

R=76\* T=A\* 59# 1\* Top csgn. 77# 0\* Bot. csgn. 78= \_\_\_\_\_ Diam. 79# 12\*

R=76\* T=A\* 59# 1\* Top csgn. 77# \_\_\_\_\_ Bot. csgn. 78= \_\_\_\_\_ Diam. 79# \_\_\_\_\_

OPENINGS

R=82\* T=A\* 59# 1\* Top 83# \_\_\_\_\_ Bottom 84= \_\_\_\_\_

Type 85= \_\_\_\_\_ Diam. 87= \_\_\_\_\_ Size 88= \_\_\_\_\_

R=82\* T=A\* 59# 1\* Top 83# \_\_\_\_\_ Bottom 84= \_\_\_\_\_

Type 85= \_\_\_\_\_ Diam. 87= \_\_\_\_\_ Size 88= \_\_\_\_\_

YIELD

R= \_\_\_\_\_ T=A\* 147# 1\* Q 150= \_\_\_\_\_ Q/S 272= \_\_\_\_\_

134 flows 146 pumped

LIFT

R=42\* T= A \* Lift type 43# 7\* Intake 44= \* Power type 45= D\*

Date 38= 09/15/1982\* H.P. 46= \*

LOGS

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \*

ANAL.

R=114\* T= A \* Year 115# \* 117= \* 120= \*

AQUIFERS

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= 112 MRVA \* Name of Unit \_\_\_\_\_

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= \* Name of Unit \_\_\_\_\_

HYDRAULICS

R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*

R=105\* T= A \* 99# 1 \* Test No. 106# \*


107= \* Transmissivity (gal/d)/ft \_\_\_\_\_

108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup> \_\_\_\_\_

110= \* Storage coeff. Boundaries \_\_\_\_\_

R=121\* T= A \* Yr Begin 122# 1982 \* Network 258# \*

Water Level Data Collection (1)



Turbine pump  
 casid driven  
 12" dia. casing  
 pump has plug in  
 base to take measurement

Held at 42.00' 9-15-82  
 cut 21.02' RAM  
 20.98' ✓  
 mp .40'  
 20.58

$E_s = (+136.42')$

To Dublin



driveway

M-72

Paved  
Gravel

0.3 mile

Sub well

Replacement well

GRAVEL

Church

Hwy 49

11/11/11

CLARKSDALE  
MATTSON 0.6

3775

5  
3774

3773

T. 26 N.

T. 25 N.


3772

2852 II SE  
(MATTSON)

3771

3770

2'30"



*Dubliner Quad*

COAHOMA CO

QU

TALL

156

12

153

154

155

BM 161

BM 158

m72

Thomas Chapel

Elm Grove Ch

BM 157

BM 156

34

Well

35

36

3

2

10

12

27

26

25

G.S. 5711

G.S. 4918

G.S. 4206

G.S. 10887

G.S. 10888

G.S. 10886

49

49

49

49

161

160

155

155

155

155

154

160

160

155

155

155

155

158

160

160

155

155

155

155

158

160

160

161

160

160

157

156

160

160

160

160

160

160

153

160

160

160

160

160

160

153