

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by JCM Source of data Bowc Date 6-73 Map \_\_\_\_\_

State 28 County (or town) Capitah 15

Latitude: 315450N Longitude: 0902612 Sequential number: 1

Lat-long accuracy: 3 T 10 S, R 20 Sec 19 t, NE t, NE t

Local well number: J062AA1901N02W Other number: \_\_\_\_\_ B & M

Local use: 222 Owner or name: \_\_\_\_\_

Owner or name: RICHARD SANDER'S Address: Yulman

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ (P)

Use of water: (A) Air cond, (B) Botling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Reppure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other \_\_\_\_\_ (H)

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed \_\_\_\_\_ (W)

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes,  no; period: \_\_\_\_\_

Temperature cards: \_\_\_\_\_

Log data: \_\_\_\_\_ (D)

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 85 Meas. rept accuracy \_\_\_\_\_ (3)

Depth cased; (first perf.) \_\_\_\_\_ ft 80 Casing type: Rlc; Diam. \_\_\_\_\_ in \_\_\_\_\_ (2)

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_ (S)

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jettted, (E) rot., (H) percussion, (I) rotary, (J) air reverse, (K) trenching, (L) driven, (M) wash, (N) drive, (O) other \_\_\_\_\_ (H)

Date Drilled: 972 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ (36, 38)

Driller: H.E. Thompson name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ (S) Deep \_\_\_\_\_ Shallow \_\_\_\_\_ (40)

Power (type): (A) diesel, (B) nat, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. \_\_\_\_\_ (S) Trans. or meter no. \_\_\_\_\_ (41)

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ (47)

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ ft above \_\_\_\_\_ below LSD 45 Accuracy: \_\_\_\_\_ (52) (D)

Date meas: 072 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_ (61)

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ (68)

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ (72)

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ (77, 79)

Taste, color, etc. \_\_\_\_\_