

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by WTO Source of data Bowc Date 12/68 Map \_\_\_\_\_

State 28 County COVINGTON 16  
(or town)

Latitude: 313943N Longitude: 0893933 Sequential number: 1  
deg min sec 12 degrees 13 min sec 18

Lat-long accuracy: 3 T. 8 S. R. 17 Sec 13, SW NE  
Local well number: E 01106A1308N17W Other number: \_\_\_\_\_ B & M

Local use: 218 Owner or name: \_\_\_\_\_

Owner or name: S D MILLER Address: Collins

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P  
(C) (F) (M) (N) (P) (S) (W)

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, \_\_\_\_\_ H  
water: (A) (B) (C) (D) (E) (F) (I) (M) (N) (P) (R)  
(S) (T) (U) (V) (W) (X) (Y) (Z)  
Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other

Use of (A) (D) (G) (H) (I) (P) (R) (T) (U) (W) (X) (Z) \_\_\_\_\_ W  
well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_  
70 71

Hyd. lab. data: \_\_\_\_\_ 73

Qual. water data; type: \_\_\_\_\_ 74

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes \_\_\_\_\_ no; period: \_\_\_\_\_ 76  
75

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_ 77

Log data: \_\_\_\_\_ D 78 79

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 110 Meas. \_\_\_\_\_ 24 3  
rept accuracy

Depth cased; (first perf.) \_\_\_\_\_ ft 105 Casing type: PVC; Diam. \_\_\_\_\_ in \_\_\_\_\_ 29 30

Finish: porous gravel w. gravel w. horiz. open perf., screen, sd. pt., shored, open hole, \_\_\_\_\_ S  
concrete, (perf.), (screen), gallery, end, other

Method (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (Z) \_\_\_\_\_ H  
Drilled: air bored, cable, dug, hyd jetted, air reverse trenching, driven, drive wash, other

Date Drilled: 11/68 9:68 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 36 38

Driller: PRENTISS BUTANE name address \_\_\_\_\_

Lift (A) (B) (C) (J) multiple, multiple, (N) (P) (R) (S) (T) (Z) \_\_\_\_\_ J Deep \_\_\_\_\_ Shallow \_\_\_\_\_ 39 40  
(type): air, bucket, cent, jet, (cent.) (turb.) none, piston, rot, submerg, turb, other

Power (type): diesel, elec nat LP Trans. or meter no. \_\_\_\_\_ S \_\_\_\_\_ 41

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_ (source) \_\_\_\_\_ 47

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ below LSD \_\_\_\_\_ 60 Accuracy: \_\_\_\_\_ 52 D

Date meas: \_\_\_\_\_ N:68 Yield: 530 gph gpm \_\_\_\_\_ 9 Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 73 74 76 77 79

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Well No. E 10

