

MAY 21 1975

FORM 9-1642 (1-68)

Well No. 661

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by MAH Source of data BOWC Date 1/9/75 Map \_\_\_\_\_

State 28 County (or town) De Lato Sequential number: 17

Latitude: 34<sup>deg</sup> 54<sup>min</sup> 05<sup>sec</sup> N Longitude: 089<sup>deg</sup> 57<sup>min</sup> 35<sup>sec</sup> W

Lat-long accuracy: 30 T 2 S 7 W Sec 20, NW 1/4, NW 1/4, NE 1/4

Local well number: 6061BA2002T07W Other number: \_\_\_\_\_

Local use: 260 Owner or name: \_\_\_\_\_

Owner or name: DARLEWOOD HAMES Address: Southaven, MS.

Ownership: (C) County, (F) Fed Gov't, (M) City, Corp or Co, (N) Private, (P) State Agency, (S) Water Dist, (W) \_\_\_\_\_ N

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other \_\_\_\_\_ H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed. \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes,  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 234 ft Meas. accuracy: 3

Depth cased: (first perf.) 214 ft Casing type: Plastic; Diam. in: 4

Finish: (C) concrete, (F) porous gravel w. (perf.), (G) gravel w. (screen), (H) horz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_ S

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other \_\_\_\_\_ H

Date Drilled: 974 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: M.A. Mason Water Well Co.

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb, (Z) other \_\_\_\_\_ S Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): diesel, elec., gas, gasoline, hand, gas, wind; H.P. 3/4 Trans. or meter no. \_\_\_\_\_ S

Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD 180 Accuracy: \_\_\_\_\_

Date meas: 474 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. 961

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD      Physiographic Province: 03 Section: \_\_\_\_\_

19 D Drainage Basin: \_\_\_\_\_ 20 21 Subbasin: \_\_\_\_\_ 26

(D) (C) (E) (F) (H) (K) (L)  
 (Ø) (P) (S) (T) (U) (V)  
 depression, stream channel, dunes, flat, hilltop, sink, swamp,  
 offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TE \_\_\_\_\_ aquifer, formation, group SS

Lithology: \_\_\_\_\_ 32 33 Origin: 2 \_\_\_\_\_ 34 Aquifer Thickness: 54 ft

\_\_\_\_\_ 35 37 Length of well open to: \_\_\_\_\_ ft 20 \_\_\_\_\_ 38 40 Depth to top of: \_\_\_\_\_ ft 180 \_\_\_\_\_ 41 43

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ 44 45 aquifer, formation, group \_\_\_\_\_ 46 47

Lithology: \_\_\_\_\_ 48 49 Origin: \_\_\_\_\_ 50 Aquifer Thickness: \_\_\_\_\_ ft

\_\_\_\_\_ 51 53 Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 54 56 Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 57 59

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ 60 63 Source of data: \_\_\_\_\_ 64

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ 65 68 Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ 70 71 Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ 73 75 Coefficient Storage: \_\_\_\_\_ 76 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79



Well No. 961