

MAY 27 1975

FORM 9-1642 (1-68)

Well No. K 20

RECORDED & INDEXED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by J. S. Source of data Bowl Date 7/69 Map \_\_\_\_\_

State 28 County (or town) De Soto 17

Latitude: 34<sup>deg</sup> 49<sup>min</sup> 00<sup>sec</sup> N Longitude: 090<sup>degrees</sup> 02<sup>min</sup> 45<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 3 T. 30 S. R. 08 E. Sec 16, SW 1/4, SE 1/4, NE 1/4

Local well number: KIC 20 D D 1603 S 08 W Other number: \_\_\_\_\_ B & H

Local use: 040 Owner or name: WALTER FLETCHER Address: Hernando

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist D

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Irr, (H) Med, (I) P S, (J) Rec, (K) Stock, (L) Instit, (M) Unused, (N) Repressure, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 153 Meas. rept accuracy 3

Depth cased; (first perf.) \_\_\_\_\_ ft 149 Casing type: Galv. Diam. \_\_\_\_\_ in 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) other, (K) perf., (L) screen, (M) sd. pt., (N) shored, (O) open hole, (P) other S

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (E) hyd jett., (F) rot., (G) percussion, (H) air, (I) reverse, (J) trenching, (K) driven, (L) wash, (M) other H

Date Drilled: 869 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. \_\_\_\_\_  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47

Water Level 120 ft above below MP; Ft below LSD 120 Accuracy: \_\_\_\_\_ D

Date meas: 569 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

well no. K 20

Well No. K 20

Latitude-longitude \_\_\_\_\_ N  
S  
d m s d m s

HYDROGEOLOGIC CARD

19 SAME AS ON MASTER CARD 20 21 Province: 03 Section: \_\_\_\_\_

22 D Drainage Basin: 15E 23 Subbasin: \_\_\_\_\_ 26

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (Ø) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat \_\_\_\_\_ 27

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TE 28 29 aquifer, formation, group SS 30 31

Lithology: \_\_\_\_\_ 32 33 Origin: 2 34 Aquifer Thickness: 33 ft

Length of well open to: \_\_\_\_\_ ft 4 38 40 Depth to top of: \_\_\_\_\_ ft 120 41 43

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ 44 45 aquifer, formation, group \_\_\_\_\_ 46 47

Lithology: \_\_\_\_\_ 48 49 Origin: \_\_\_\_\_ 50 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 54 56 Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 57 59

Intervals Screened: 1 1/4" Brass


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ 60 63 Source of data: \_\_\_\_\_ 64

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ 65 68 Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ 70 71 Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ 73 75 Coefficient Storage: \_\_\_\_\_ 76 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79



Well No.

K 20