

Obs well

WRD Exp. (CW)  
April 1966

FOUR FIELD AND VERIFIED  
ROLLA COMPUTATION DIVISION

Well No.

B6

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by JAV Source of data \_\_\_\_\_ Date \_\_\_\_\_ Map \_\_\_\_\_

State 13 28 County 3641 15  
(or town)

Latitude: 31<sup>deg</sup> 21<sup>min</sup> 15<sup>sec</sup> N Longitude: 08<sup>deg</sup> 9<sup>min</sup> 19<sup>sec</sup> W  
Sequential number: 3

Lat-long accuracy: 3<sup>70</sup> T 5<sup>N</sup> S, R 13<sup>E</sup> Sec 32<sup>SW</sup> SE NW NE

Local well number: B006AC3205N13W Other number: #6 B & M

Local use: 009 Owner or name: \_\_\_\_\_

Owner or name: HATTIESBURG Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist M

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Recharge, (W) Desal-P S, (X) Desal-other, (Z) Other U

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed U

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: MEBON Complete 6-19-59

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes,  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 444 ft Meas. rept. accuracy: 3

Depth cased: (first perf.) 352 ft Casing type: 5/8; Diam. 8 in

Finish: (C) porous concrete, (F) gravel v. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot, (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 934 Pump intake setting: \_\_\_\_\_ ft 118

Driller: Carlos well co, Memphis-Tenn

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other 7 Deep  Shallow

Power (type): 75 Trans. or meter no. 7

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 160.27 Accuracy: (source) 160

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD Accuracy: 9

Date meas: 9/55 Yield: 964 gpm 964 Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron 1.0 ppm 4 Sulfate 9.5 ppm 0 Chloride 2.0 ppm 0 Hard. 24 ppm 7

Sp. Conduct 659 K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F 6-17-59 Date sampled 659

Taste, color, etc. \_\_\_\_\_

W-2879 (5/1)

5/1 with

Well No.

B6



Upper Cat  
Observation Well

County Forrest

Well No. B6

Owner's Name Hattiesburg City of

Location (town) 1 1/2 miles N. of center of H. Burg  
(miles and direction from center of town)

Other description Well #6 near City pistol firing range  
off Lakeview Rd.

Depth 444' Diameter 8 Date drilled 1934

Formation \_\_\_\_\_

Elev. of lsd (155) Recorder \_\_\_\_\_ Type \_\_\_\_\_ No. \_\_\_\_\_

M.P. recorder box floor at 4.50 ft above lsd. Date \_\_\_\_\_


M.P. \_\_\_\_\_ at \_\_\_\_\_ ft above lsd. Date \_\_\_\_\_

M.P. \_\_\_\_\_ at \_\_\_\_\_ ft above lsd. Date \_\_\_\_\_


Special \_\_\_\_\_

Water Level 28' (5/91)

Sketch of location \_\_\_\_\_ Sketch of well head \_\_\_\_\_



well with recorder  
not given well in middle  
of pond



10/93	38.15
4/92	33.81

HBRG

B6

W. 277 278. 20' LAUREL 24 MI. MOSELLE INTERCHANGE 9 MI. 3146 IV NE (EASTABUCHIE) 281

