

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by J.S. Source of data Bowl Date 4/70 Map \_\_\_\_\_

State 28 County (or town) Greene Sequential number: 21

Latitude: 310536 N Longitude: 0882942 Sequential number: 1

Lat-long accuracy: 5 T. N. S. R. W. Sec. \_\_\_\_\_ B & M

Local well number: 00103302N05W Other number: \_\_\_\_\_

Local use: 276 Owner or name: \_\_\_\_\_

Owner or name: E. M. DUETT Address: Leaksville, Ms.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 310 ft Meas. rept accuracy 3

Depth cased; (first perf.): 300 ft Casing type: Galv. Diam. in 2

Finish: porous concrete, gravel v. concrete, (perf.), (screen), gravel w. gallery, end, horz. open perf., screen, sd. pt., shored, open hole, other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air percussion, (P) air reverse, (R) reverse, (T) trenching, (V) driven, (W) drive wash, other H

Date Drilled: 970 Pump intake setting: \_\_\_\_\_ ft

Driller: C H D Well Drilling

Lift (type): (A) air, bucket, cent, jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other T Deep  Shallow

Power (type): diesel, ec gas, gasoline, hand, gas, wind; H.P. 2 Trans. or meter no. T

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: 160 ft above below MP; Ft above below LSD 160 Accuracy: \_\_\_\_\_

Date meas: 170 Yield: 3 gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

Q 10

Well No. Q 10

Latitude-longitude d m s N d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD  Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 13P Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat (S) (T) (U) (V)

MAJOR AQUIFER: system \_\_\_\_\_ series T.M aquifer, formation, group M2

Lithology: \_\_\_\_\_ Origin: U.S Aquifer Thickness: 80 ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: 230 ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 2" P1


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

Q 10