

Received

APR 29 1975

FORM 9-1642 (1-68)

Well No. B 25d

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by Ja Callahan Source of data E. Pas. Date 7-12-73 Map \_\_\_\_\_

State 28 County (or town) Grenada 22

Latitude: 33<sup>5</sup> 50<sup>7</sup> 07<sup>N</sup> Longitude: 08<sup>9</sup> 48<sup>3</sup> 2<sup>W</sup> Sequential number: 4

Lat-long accuracy: 2<sup>0</sup> 23<sup>0</sup> 5<sup>0</sup> 30 SW NE

Local well number: B025C43023NOSE Other number: \_\_\_\_\_ B & M

Local use: \_\_\_\_\_ Owner or name: GRENA DA IND PK Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist M

Use of water: (S) (T) (U) (V) (W) (X) (Y) (Z) U

Use of well: (A) (D) (G) (H) (P) (R) (T) (U) (W) (X) (Z) T

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  period:

Aperture cards:  yes

Log data:  E

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 156 ft Meas. rept accuracy 3

Depth cased: (first perf.) 126 ft Casing type: \_\_\_\_\_; Diam. 4 in

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (screen), horiz. gallery, open end, other S

Method Drilled: (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (Z) H

Date Drilled: 973 Pump intake setting: \_\_\_\_\_ ft

Driller: Robt Rath name address \_\_\_\_\_

Lift (type): (A) (B) (C) (J) multiple, multiple, none, piston, rot, submerg, turb, other.  Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 205 Accuracy: (source) 2

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_

Date meas: 773 Yield: \_\_\_\_\_ gpm 221 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft 72 Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F 190 Date sampled \_\_\_\_\_

Taste, color, etc. pH 6.2

Well No.

Well No. B 25d

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: D Subbasin: 156

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat  
(C) (F) (R) (K) (L) (P) (S) (T) (U) (V)

MAJOR AQUIFER: system \_\_\_\_\_ series TE aquifer, formation, group MW

Lithology: US Origin: 2 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: 70 ft Depth to top of: 30 ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Interval Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. B 25d

