

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by \_\_\_\_\_ Source of data \_\_\_\_\_ Date \_\_\_\_\_ Map \_\_\_\_\_

State 28 County GRENAIDA (or town) 22

Latitude: 334152N Longitude: 089555W Sequential number: 2

Lat-long accuracy: 2 T. \_\_\_\_\_ S. \_\_\_\_\_ R. \_\_\_\_\_ W. Sec. 11 \_\_\_\_\_ E. \_\_\_\_\_

Local well number: F005CA1121NO3E Other well number: Well #2

Local use: 064057 Owner or name: \_\_\_\_\_

Owner or name: POOR HOUSE WA Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist W

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Recharge, Desal-P'S, Desal-other, Other U

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) \_\_\_\_\_ (G) \_\_\_\_\_ (H) \_\_\_\_\_ (I) \_\_\_\_\_ (M) \_\_\_\_\_ (N) \_\_\_\_\_ (P) \_\_\_\_\_ (R) \_\_\_\_\_ (T) \_\_\_\_\_ (U) \_\_\_\_\_ (W) \_\_\_\_\_ (X) \_\_\_\_\_ (Z) \_\_\_\_\_ T

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: MSBOH (9-25-70)

Freq. sampling:  Pumpage inventory:  no. period: \_\_\_\_\_

Aperture cards:  yes

Log data: DE

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 459 Meas. rept accuracy 3

Depth cased: (first perf.) 423 ft Casing type: \_\_\_\_\_; Diam. in \_\_\_\_\_

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) other, (K) \_\_\_\_\_, (L) \_\_\_\_\_, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (O) \_\_\_\_\_, (P) \_\_\_\_\_, (Q) \_\_\_\_\_, (R) \_\_\_\_\_, (S) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (V) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Y) \_\_\_\_\_, (Z) \_\_\_\_\_ 5

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) rotary, (J) \_\_\_\_\_, (K) \_\_\_\_\_, (L) \_\_\_\_\_, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (O) \_\_\_\_\_, (P) \_\_\_\_\_, (Q) \_\_\_\_\_, (R) \_\_\_\_\_, (S) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (V) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Y) \_\_\_\_\_, (Z) \_\_\_\_\_ H

Date Drilled: 970 Pump intake setting: \_\_\_\_\_ ft

Driller: Layne name Memphis address

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg., (K) turb., (L) other, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (O) \_\_\_\_\_, (P) \_\_\_\_\_, (Q) \_\_\_\_\_, (R) \_\_\_\_\_, (S) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (V) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Y) \_\_\_\_\_, (Z) \_\_\_\_\_ Deep

Power (type): (A) diesel, (B) elec., (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P., (I) \_\_\_\_\_, (J) \_\_\_\_\_, (K) \_\_\_\_\_, (L) \_\_\_\_\_, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (O) \_\_\_\_\_, (P) \_\_\_\_\_, (Q) \_\_\_\_\_, (R) \_\_\_\_\_, (S) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (V) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Y) \_\_\_\_\_, (Z) \_\_\_\_\_ Shallow

Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 300 Accuracy: (source) 4

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron 35 ppm Sulfate \_\_\_\_\_ ppm Chloride 8 ppm Hard. 26 ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. pH = 7.3

Well No.

F56

Well No. F56

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 156 Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L)  
Topo of well site: depression, stream channel, dunes, flat, hilltop, sink, swamp,  
(φ) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ TE \_\_\_\_\_ MW  
system series aquifer, formation, group

Lithology: \_\_\_\_\_ 3 Origin: \_\_\_\_\_ 2 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft 36 Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: \_\_\_\_\_ \_\_\_\_\_  
system series aquifer, formation, group

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

Location: see F5a



Well No.

F56

