

SITE ID-3348008948001

FORM 9-1642 (1-68)

CW02689

Well No.

H32

0220063-02WELL SCHEDULE

See e-log 60

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by RET Source of data USGS Files Date 10-21-70 Map Grenada

State 9 County 28 (or town) 7 Sequential number: 1

Latitude: 33° 48' 02" N Longitude: 089° 48' 00" W

Lat-long accuracy: 3 T, 22 S, R 5 W, Sec 5 SE, 5 SW, NW

Local well number: H032CB0522N05E Other number: #1 B & M

Local use: 002060 Owner or name: Lynn Inc

Owner or name: NORTH AMERICAN Address: NORTH AMERICAN CORP

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist W Randall Textro

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: (N) (P) (R)

Stock, Instat, Unused, Reppure, Recharge, Desal-P S, Desal-other, Other IN W

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data: type: MSBOH (4-6-64) P

Freq. sampling:  Pumpage inventory: no, period:

Aperture cards:  yes

Log data:

TEXTRON

PUNCHED AND VERIFIED

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 250 Meas. rept accuracy 6

Depth cased; (first perf.) 200 ft Casing type: 18 in Diam.

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horz. gallery, open end, perf., screen, sd. pt., shored, open hole, other S

Method Drilled: air bored, cable, dug, hyd jetted, rot., air rot., percussion, rotary, reverse trenching, driven, drive wash, other H

Date Drilled: 9-60 9:60 Pump intake setting: 36 ft 38

Driller: R. Retliff

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other T Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 60 V Trans. or meter no.

Descrip. MP 183 ft above below LSD, Alt. MP

Alt. LSD: 183 Accuracy: (source) 4

Water Level: 2 ft above below MP; Ft below LSD Accuracy: 6

Date meas: 9:60 Yield: 9:00 gpm Method determined 1

Drawdown: 01400 gpm Accuracy: 8 Pumping period: 1 hrs

QUALITY OF WATER DATA: Iron 1.5 ppm Sulfate 27 ppm Chloride 20 ppm Hard. 20 ppm

Sp. Conduct 6.8 K x 10<sup>6</sup> Temp. 6.8 °F Date sampled 77

Taste, color, etc. pH = 6.8

Well No.

H32

Well No. H32

Latitude-longitude \_\_\_\_\_

HYDROGEOLOGIC CARD

**SAME AS ON MASTER CARD** Physiographic Province: \_\_\_\_\_ Section: 03

Drainage Basin: D Subbasin: 156

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp  
 (P) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system \_\_\_\_\_ series TE aquifer, formation, group MUWX M.W

Lithology: S Origin: Z Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: 167 ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 200-250 A 50' x 8" S


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: 100 gpa/ft; Number of geologic cards: \_\_\_\_\_



RANDALL TETRON H032 GW 02689 220063-02 GRENADA CO.  
10-11-2002 CORRECTED

