

PUNCHED 1975

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by JCM Source of data BOWC Date 5-72 Map \_\_\_\_\_

State 28 County (or town) Hancock 23

Latitude: 30° 23' 17" N Longitude: 08° 20' 42" W Sequential number: 1

Lat-long accuracy: 5 T 7 N 14 R 36 Sec \_\_\_\_\_ k, \_\_\_\_\_ k, \_\_\_\_\_ k

Local well number: G089 3607514W Other number: \_\_\_\_\_ B & M

Local use: 310 Owner or name: AGNES THOMAS Address: Bay St. Louis

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (S) (T) (U) (V) (W) (X) (Y) (Z) H

Use of well: (A) (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 560 Meas. rept. accuracy 3

Depth cased; (first perf.): \_\_\_\_\_ ft 546 Casing type: gab; Diam. \_\_\_\_\_ in 2

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. (I) open (J) screen, (K) sd. pt., (L) shored, (M) open hole, (N) other S

Method: (A) air bored, (B) cable, (C) dug, (D) hyd rot., (E) jetted, (F) air percussion, (G) rotary, (H) reverse trenching, (I) driven, (J) drive wash, (K) other H

Date Drilled: 972 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: J. G. Ward name (L) (M) address \_\_\_\_\_ Deep  Shallow

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb., (L) other N

Power (type): diesel, elec, nat, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level 15# press. ft above below MP; Ft. above LSD F Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: 372 gpm 21 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

689

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 0:3 Section: \_\_\_\_\_

**Drainage Basin:** D 11315 Subbasin: \_\_\_\_\_

**Topo of well site:** (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (R) (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat 27

**MAJOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series T.P. \_\_\_\_\_ aquifer, formation, group G.F.

**Lithology:** \_\_\_\_\_ U.S. **Origin:** \_\_\_\_\_ 3 **Aquifer Thickness:** 243 ft

**Length of well open to:** \_\_\_\_\_ ft 20 **Depth to top of:** \_\_\_\_\_ ft 523

**MINOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

**Lithology:** \_\_\_\_\_ U.S. **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft \_\_\_\_\_ **Depth to top of:** \_\_\_\_\_ ft \_\_\_\_\_

**Intervals Screened:** 2" S.S.


**Depth to consolidated rock:** \_\_\_\_\_ ft \_\_\_\_\_ **Source of data:** \_\_\_\_\_ 64

**Depth to basement:** \_\_\_\_\_ ft \_\_\_\_\_ **Source of data:** \_\_\_\_\_ 69

**Surficial material:** \_\_\_\_\_ **Infiltration characteristics:** \_\_\_\_\_ 72

**Coefficient Trans:** \_\_\_\_\_ gpd/ft \_\_\_\_\_ **Coefficient Storage:** \_\_\_\_\_ 76

**Coefficient Perm:** \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79



Well No. 689