

GW13092  
0230004-01

FORM 9-1642  
(1-68)

Well No. 269

**RECORDED**  
**MAR 27 1975**

### WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

*E log 40*

MASTER CARD *77*

Record by PEG Source of data Well + Obs Date 2-9-65 Map English Lookout

State 28 County Hancock (or town) 23

Latitude: 30 14 06 N Longitude: 08 9 35 5 7 Sequential number: 1

Lat-long accuracy: 3 9 16 20 Sec 20

Local well number: 2067 2009516W Other number: B & H

Local use: 169040 Owner or name: Seashore Utility Co, Inc.

Owner or name: OAK HARBOR SUBD Address: 1011 E. P.W. Dr.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist. P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec. P

Use of well: (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other P

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data 70 Freq. W/L meas.: 71 Field aquifer char. 72

Hyd. lab. data: 73 HBRG

Qual. water data; type: 74 C

Freq. sampling: 75 Pumpage inventory: 76 yes 77

Log data: 2 Log Hancock 10'-1989' 78 79 DE

### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 199.0 ft Meas. rept accuracy 24 4

Depth cased: (first perf.) 119.3.0 ft Casing type: 28 Diam. 8x6 in 29 30 6

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole, other 31 5

Method: (A) air bored, cable, dug, hyd rot., (H) jetted, (J) air percussion, (P) rotary, (R) reverse, (T) trenching, (V) driven, (W) drive wash, other 32 H

Date Drilled: 9.6.5 Pump intake setting: 33 34 35 36 38

Driller: Summers Bros Well Co name address 39 40

Lift (type): (A) air, bucket, cent, jet, (C) multiple, (J) multiple, (M) multiple, (N) none, (P) piston, (R) submerg, (S) turb, other 41 N Deep 42 Shallow 43

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 44 Trans. or meter no. 45

Descrip. MP 46 ft above below LSD, Alt. MP 47 4

Alt. LSD: 48 Accuracy: (source) 49 4


Water Level +104 ft above below MP; Ft below LSD +104 Accuracy: 52 4

Date meas: 2.6.5 Yield: 8.8.8 gpm 50 Pumping period 51 hrs 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79

Drawdown: 62 ft Accuracy: 63 hrs 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79

QUALITY OF WATER DATA: Iron 69 Sulfate 70 Chloride 71 Hard. 72 Sp. Conduct 73 K x 10 74 Temp. 75 Date sampled 76 77 78 79

Taste, color, etc. 80



**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** 19 **Physiographic Province:** 03 **Section:** \_\_\_\_\_

**Drainage Basin:** D 22 **Subbasin:** 135 23 25 \_\_\_\_\_ 26

**Top of well site:** (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (M) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27 F

**MAJOR AQUIFER:** \_\_\_\_\_ **system** \_\_\_\_\_ **series** T.M 28 29 **aquifer, formation, group** NBRG M.Z 30 31

**Lithology:** \_\_\_\_\_ **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ 32 33 34 **ft**

**Length of well open to:** \_\_\_\_\_ **ft** 35 37 6.0 **Depth to top of:** \_\_\_\_\_ **ft** 38 40 6.0 41 43 A.9.3

**MINOR AQUIFER:** \_\_\_\_\_ **system** \_\_\_\_\_ **series** \_\_\_\_\_ 44 45 **aquifer, formation, group** \_\_\_\_\_ 46 47

**Lithology:** \_\_\_\_\_ **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ 48 49 50 **ft**

**Length of well open to:** \_\_\_\_\_ **ft** 51 53 \_\_\_\_\_ **Depth to top of:** \_\_\_\_\_ **ft** 54 56 \_\_\_\_\_ 57 59

**Intervals Screened:** \_\_\_\_\_

**Depth to consolidated rock:** \_\_\_\_\_ **ft** \_\_\_\_\_ 60 61 **Source of data:** \_\_\_\_\_ 64


**Depth to basement:** \_\_\_\_\_ **ft** \_\_\_\_\_ 63 64 **Source of data:** \_\_\_\_\_ 69

**Surficial material:** \_\_\_\_\_ **Infiltration characteristics:** \_\_\_\_\_ 70 71 \_\_\_\_\_ 72

**Coefficient Trans:** \_\_\_\_\_ **gpd/ft** \_\_\_\_\_ 73 75 **Coefficient Storage:** \_\_\_\_\_ 76 78

**Perm:** \_\_\_\_\_ **gpd/ft<sup>2</sup>; Spec cap:** \_\_\_\_\_ **gpm/ft; Number of geologic cards:** \_\_\_\_\_ 79

map on original.  
strainers log on original



freq  
etc. on well sch

Well No.

DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR

PUBLIC SUPPLY WELLS PROJECT

GPS LOG

USER NAME(S): Stewart / Everett DATE: 8/22/96

UNIT DEQ #: \_\_\_\_\_ FILE #: A082216A

HEALTH DEPT. #: 230004-01 ELEV. 8'

USGS #: L-69 OLWR #: \_\_\_\_\_

OWNER: Oak Harbor Subdiv. QUAD: English Lookout

LOCATION: John B. Dohy Claim T 95 R 16W COUNTY: Hancock

LOCATION DESCRIPTION: <sup>25</sup> West of Jacksonville Dr. + south of Dayton,  
in woods. Subd. is at Pearlington, S of Hwy 91

CASING DIA: \_\_\_\_\_ PUMP TYPE & SIZE: none

GPS FIELD LOCATION: LAT. 30° 14.388' LONG. 89° 36.080'

GPS CORRECTED LOCATION: LAT. 30.239986 LONG. 89.601084  
~~30.40915100~~ ~~88.90482472~~

REMARKS: Flowing well; no pump, no tank

8044, SW  
(HAASWOOD)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

GULFPORT 29 MI.  
BAY ST. LOUIS 15 MI.

