

SITE ID-302944088572901
WRD Exp. (GW)
April 1966

Well No. H 52

WELL SCHEDULE

394A

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by LJ Source of data BWC Date 7-68 Map _____

State 28 County (or town) HARRISON 24

Latitude: 30^{deg} 29^{min} 44^{sec} W Longitude: 08^{degrees} 85^{min} 29^{sec} W Sequential number: 1

Lat-long accuracy: 5 T. 6 R. 10 Sec 26 SE 1/4, NW 1/4

Local well number: 4052 2606510W Other number: _____ B & M

Local use: 088 Owner or name: _____

Owner or name: HARRACE RUSHING Address: _____

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Repressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data: _____

Qual. water data; type: _____

Freq. sampling: _____ Pumpage inventory: yes, no, period: _____

Aperture cards: _____ yes

Log data: _____ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 519 ft Meas. 3

Depth cased: (first perf.) 509 ft Casing type: _____; Diam. _____ in

Finish: (A) porous concrete, (B) gravel w. (perf.), (C) gravel w. (screen), (D) horiz. gallery, (E) open end, (F) perf., (G) screen, (H) sd. pt., (I) shored, (J) open hole, (K) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) rotary, (J) trenching, (K) driven, (L) wash, (M) other H

Date Drilled: 964 Pump intake setting: _____ ft

Driller: _____ name _____ address _____

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P., (I) Trans. or meter no. S

Descrip. MP _____ ft above LSD, Alt. MP _____

Alt. LSD: 75 Accuracy: (source) _____

Water Level _____ ft above below MP; Ft below LSD 47 Accuracy: _____

Date meas: 064 Yield: _____ gpm Method determined _____

Drawdown: _____ ft Accuracy: _____ Pumping period _____ hrs

QUALITY OF WATER DATA: Iron _____ ppm Sulfate _____ ppm Chloride _____ ppm Hard. _____ ppm

Sp. Conduct _____ K x 10⁶ Temp. _____ °F Date sampled _____

Taste, color, etc. _____

PUNCHED and VERIFIED
ROLLA COMPUTATION SERVICE

Well No.

H 52

Well No. 452

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic 03 Section:

D Drainage 135 Subbasin:

(D) (C) (E) (F) (R) (K) (L)
Topo of well site: (Q) (P) (S) (T) (U) (V)
depression, stream channel, dunes, flat, hilltop, sink, swamp,
offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR
AQUIFER: T.M P.A
system series aquifer, formation, group

Lithology: U.S Origin: 3 Aquifer
Thickness: ft

Length of well open to: ft 10 Depth to top of: ft 483

MINOR
AQUIFER: system series aquifer, formation, group

Lithology: Origin: Aquifer
Thickness: ft

Length of well open to: ft Depth to top of: ft

Intervals Screened:


Depth to consolidated rock: ft Source of data:

Depth to basement: ft Source of data:

Surficial material: Infiltration characteristics:

Coefficient Trans: gpd/ft Coefficient Storage:

Coefficient Perm: gpd/ft²; Spec cap: gpm/ft; Number of geologic cards:



clay	189	201
clay	189	201
clay	189	201
clay, fine	204	210
clay	210	294
sand & clay str	294	315
sand	315	328
clay	328	399
sand, red	399	420
sand	420	428
clay, fine	425	441
sand & clay str	441	462
clay	462	483
sand, good	483	514

Well No.

452

