

SITING ID - 303024088563301

WRD Exp. (GW)  
April 1966

Well No.

H 58

WELL SCHEDULE

374 C

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by LJ Source of data BWC Date 7-68 Map \_\_\_\_\_

State 9 28 County (or town) HARRISON 24

Latitude: 30 30 28 N Longitude: 088 56 33 W Sequential number: 1

Lat-long accuracy: 5 T. 6 S. R. 10 E. Sec. 24 NE NE NE SW

Local well number: 4058 2406510W Other number: \_\_\_\_\_ B & M

Local use: 051 Owner or name: \_\_\_\_\_

Owner or name: O J FOREMAN Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 210 Meas. 3

Depth cased: \_\_\_\_\_ ft 1197 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 2

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, end, other S

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) reverse, (G) percussive, (H) rotary, (I) driven, (J) wash, (K) other H

Date Drilled: 967 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) nose, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. S Trans. or meter no. \_\_\_\_\_

Descrip. MP 98 ft above \_\_\_\_\_ ft below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; LSD 63 Accuracy: \_\_\_\_\_

Date meas: 367 Yield: \_\_\_\_\_ gpm Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED AND RECORDED  
ROLLA COMPANY

Well No.

H 58

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 0:3 Section: \_\_\_\_\_

**Drainage Basin:** D 1:3:5 Subbasin: \_\_\_\_\_

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (K) (L)

**Topo of well site:** (Ø) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

**MAJOR AQUIFER:** TIP GF

system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group

**Lithology:** U.S Origin: 3 Aquifer Thickness: \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**MINOR AQUIFER:** \_\_\_\_\_ aquifer, formation, group

system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group

**Lithology:** \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**Intervals Screened:** \_\_\_\_\_


**Depth to consolidated rock:** \_\_\_\_\_ ft Source of data: \_\_\_\_\_

**Depth to basement:** \_\_\_\_\_ ft Source of data: \_\_\_\_\_

**Surficial material:** \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

**Coefficient Perm:** \_\_\_\_\_ gpd/ft<sup>2</sup>; **Spec cap:** \_\_\_\_\_ gpm/ft; **Number of geologic cards:** \_\_\_\_\_



yellow clay	0	15
Red sand	15	20
white sand	20	67
yellow sand	67	84
Red sand	84	112
white clay	112	132
blue clay	132	145
blue sand	145	148
blue clay	148	187
blue sand	187	210

Well No. 1758

