

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by: WTO Source of data: Bowc Date: 1/69 Map: \_\_\_\_\_

State: \_\_\_\_\_ County: 28 (or town) Harrison Sequential number: 24

Latitude: 30 28 49 N 78 26 40 W  
 Lat-Long accuracy: 4 T 6 S 10 E 36 N 36 E NW

Local well number: H09103606510W Other well number: \_\_\_\_\_

Local use: 072 Owner or name: ROWELL

Owner or name: BILLOXI RIVER E. Address: Biloxi River Est. Support, Miss.

Owneership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of well: (A) Air cond, Bottling, (B) Com, (C) De-water, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (D) Stock, Inatit, Unused, Re-pressure, (E) Recharge, (F) Desal-P/S, (G) Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  no, period: \_\_\_\_\_

Aperture cards:  yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: \_\_\_\_\_ ft 260 Meas. rept. accuracy 3

Depth cased: (first perf.) \_\_\_\_\_ ft 247 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 2

Finish: (C) porous concrete, (D) gravel w. (perf.), (E) gravel w. (screen), (F) horiz. gallery, (G) open end, (H) open perf., (I) screen, (J) ad. pt., (K) shored, (L) open hole, (M) other 3

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) reverse percuss, (G) rotary, (H) driven, (I) drive wash, (J) other H

Date Drilled: 11/68 9/68 Pump intake setting: \_\_\_\_\_ ft 38

Driller: M+B

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) nose, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1/2 3 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) 3

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft below LSD Accuracy: 31

Date meas: N:6:8 Yield: \_\_\_\_\_ gpm Method determined 1

Browdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED. ROLLA COMPUTATION BRANCH

Well No.

10

Well No. 491

Latitude-longitude

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: D Subbasin: 13S

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system \_\_\_\_\_ series TP aquifer, formation, group GF

Lithology: \_\_\_\_\_ Origin: 3 Aquifer Thickness: 20 ft

Length of well open to: 20 ft Depth to top of: 235 ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

491