

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by J.S. Source of data BOWC Date 5/70 Map \_\_\_\_\_  
 State 28 County (or town) Harrison 24  
 Latitude: 30<sup>deg</sup> 28<sup>min</sup> 30<sup>sec</sup> N Longitude: 08<sup>degrees</sup> 83<sup>min</sup> 73<sup>sec</sup> W Sequential number: 1  
 Lat-long accuracy: 3 T. S. R. W. Sec. \_\_\_\_\_  
 Local well number: H 115 C D 3 5 0 6 S 1 0 W Other number: \_\_\_\_\_  
 Local use: 024 Owner or name: HOWARD LAMEY Address: Biloxi

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P  
 Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (B) Stock, Instit, Unused, Repressure, Recharge, Desal-P.S, Desal-other, Other H  
 Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W  
 DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
 Hyd. lab. data:   
 Qual. water data; type:   
 Freq. sampling:  Pumpage inventory:  period:   
 Aperture cards:  yes   
 Log data:  D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 430 Meas. rept accuracy 3  
 Depth cased: (first perf.) \_\_\_\_\_ ft 420 Casing type: Galv Diam. \_\_\_\_\_ in 2  
 Finish: (C) concrete, (F) porous gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perfor., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other S  
 Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) percussion, (G) rotary, (H) reverse trenching, (I) driven, (J) drive wash, (K) other H  
 Date Drilled: 9-70 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_  
 Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow 40  
 Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. S

Descrip. MP \_\_\_\_\_ above ft below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) 3  
 Water Level 44 ft above below MP; Ft above below LSD 44 Accuracy: \_\_\_\_\_  
 Date meas: 3-70 Yield: \_\_\_\_\_ gpm 15 Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc.

PUNCHED and VERIFIED, ROLLA COMPUTATION BRANCH

Well No.

H 115

Well No. H 115

Latitude-longitude

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03 Section: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_

135 Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (P) offshore, (S) pediment, (T) hillside, (U) terrace, (V) undulating, (W) valley flat

MAJOR AQUIFER: \_\_\_\_\_

TP system series

GF aquifer, formation, group

Lithology: \_\_\_\_\_

US Origin: \_\_\_\_\_

3 Aquifer Thickness: \_\_\_\_\_

32 ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft 389

MINOR AQUIFER: \_\_\_\_\_

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 2" SS

Depth to consolidated rock: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_


Coefficient Trans: \_\_\_\_\_ gpd/ft

Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>

Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. H 115