

H 124

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by J.S Source of data BOWC Date 8/70 Map \_\_\_\_\_

State 28 County Harrison (or town) 24

Latitude: 30 28 24 N Longitude: 088 59 18 Sequential number: 1

Lat-long accuracy: 3 T. S. R. W. Sec. 1/4 1/2 3/4 4

Local well number: H 124 P D 3 3 0 6 S 1 0 W Other number: \_\_\_\_\_ B & M

Local use: 024 Owner or name: \_\_\_\_\_

Owner or name: C W T O U L M E Address: Biloxi

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  yes  no  period: \_\_\_\_\_

Aperture cards:  yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 458 ft Meas. rept accuracy 3

Depth cased; (first perf.) 448 ft Casing type: Galv.; Diam. in 2

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, end, perf., screen, sd. pt., shored, open hole, other S

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot, (F) reverse percussion, (G) rotary, (H) trenching, (I) driven, (J) wash, (K) other H

Date Drilled: 9 7 0 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1/2 Trans. or meter no. S

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 50 Accuracy: (source) 3

Water Level 40 ft above below MP; Ft below LSD 40 Accuracy: D

Date meas: 4 7 0 Yield: \_\_\_\_\_ gpm Method determined 5

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMPUTATION CENTER

Well No.

H 124

Well No.

H 124

Latitude-longitude

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: Section: 013

Drainage Basin: D Subbasin: 1135

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp; (P) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system series T.P. aquifer, formation, group G.F.

Lithology: U.S. Origin: 3 Aquifer Thickness: 76 ft

Length of well open to: ft 170 Depth to top of: ft 382

MINOR AQUIFER: system series aquifer, formation, group

Lithology: Origin: Aquifer Thickness: ft

Length of well open to: ft Depth to top of: ft

Intervals Screened: .008 SS


Depth to consolidated rock: ft Source of data:

Depth to basement: ft Source of data:

Surficial material: Infiltration characteristics:

Coefficient Trans: gpd/ft Coefficient Storage:

Coefficient Perm: gpd/ft<sup>2</sup>; Spec cap: gpm/ft; Number of geologic cards:



Well No.

H 124