

WELL SCHEDULE

374c

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by B.D. Source of data BOWC Date 10-70 Map \_\_\_\_\_

State 07 28 County (or town) Harrison 24 Sequential number: 1

Latitude: 30 30 30 N Longitude: 08 8 5 6 3 2 Sequential number: 1

Lat-long accuracy: 5 T. 6 S. R. 10 W. Sec. 24 SE, SW, SE

Local well number: H 134 2406510W Other number: \_\_\_\_\_ B & M

Local use: 188 Owner or name: ?

Owner or name: RONNIE RICHIE KRIFHN Address: Biloxi, Ms.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory:  yes no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: D

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: TD 326' ft 320 Meas. 3 accuracy 24

Depth cased; (first perf.) ft 310 Casing type: Galv Diam. in 2

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, other 5

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) reverse percusson, (R) rotary, (T) trenching, (V) driven, (W) drive wash, other H

Date Drilled: 970 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: R. J. Moore name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other J Deep  Shallow

Power (type): diesel, elec, nat gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. 5

Descrip. MP  above ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level 55 ft above below MP; Ft 55 LSD 55 Accuracy: \_\_\_\_\_

Date meas: 970 Yield: \_\_\_\_\_ gpm 150 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

H 134

Well No. H 134

Latitude-longitude

N  
S

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Province: 03 Section: 20 21

D Drainage Basin: 135 Subbasin: 26

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat. (F) (H) (K) (L) (M) (N) (O) (P) (S) (T) (U) (V)

MAJOR AQUIFER: system \_\_\_\_\_ series TP aquifer, formation, group GF

Lithology: KS Origin: 3 Aquifer Thickness: 36 ft

Length of well open to: \_\_\_\_\_ ft 10 Depth to top of: \_\_\_\_\_ ft 290

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 2' S.S.


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft<sup>2</sup> \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



<u>TOP SOIL</u>	<u>0</u>	<u>10</u>
<u>SAND</u>	<u>10</u>	<u>10</u>
<u>CLAY</u>	<u>10</u>	<u>10</u>
<u>GRAVEL</u>	<u>10</u>	<u>10</u>

Well No.

H 134

