

SITE ID 302840088572401

FORM 9-1642  
(1-68)

Well No.

H167

## WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

## MASTER CARD

Record by JCM Source of data BOWC Date 12-71 Map 394A

State 19 28 County (or town) Harris 24

Latitude: 30 28 40 N Longitude: 08 57 24 Sequential number: 7

Lat-long accuracy: 3 6 0 R 10 E 35 NW SE

Local well number: H1673D3506S10W Other number: B & M

Local use: 209 Owner or name: K D OXENHANS Address: Biloxi

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) (T) (U) (V) (W) (X) (Y) (Z) H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (D) (G) (H) (I) (M) (N) (P) (R) (T) (U) (W) (X) (Z) W

DATA AVAILABLE: Well data ☐ Freq. W/L meas.: ☒ Field aquifer char. ☐

Hyd. lab. data: ☐

Qual. water data; type: ☐

Freq. sampling: ☐ Pumpage inventory: yes ☐ no, period: ☐

Aperture cards: ☐ yes ☐

Log data: ☐

## WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 440 ft Meas. 3

Depth cased: 430 ft Casing type: galv Diam. 2 in

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. open perf., (I) screen, (J) sd. pt., (K) shored, (L) open hole, (M) other S

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air reverse, (F) percussive, (G) rotary, (H) driven, (I) wash, (J) other H

Date Drilled: 9-7-71 Pump intake setting: 30 ft

Driller: Coastal Drilling Co. name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep ☐ Shallow ☐

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. S Trans. or meter no. 5

Descrip. MP 23 ft above LSD, Alt. MP 3

Alt. LSD: 23 Accuracy: 3

Water Level: 18 ft above MP; 18 ft below LSD Accuracy: D

Date meas: 071 Yield: 16 gpm Method determined 61

Drawdown: 62 ft Accuracy: 65 Pumping period: 66 hrs

QUALITY OF WATER DATA: Iron 69 ppm Sulfate 70 ppm Chloride 71 ppm Hard. 72

Sp. Conduct 73 K x 10<sup>6</sup> Temp. 74 °F Date sampled 75

Taste, color, etc. 76

PUNCHED

Well No.

H167

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
d m s N S d m s

## HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic  
Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

D

Drainage  
Basin: \_\_\_\_\_

135

Subbasin: \_\_\_\_\_

Topo of well site: (D) (C) (E) (F) (H) (K) (L)  
depression, stream channel, dunes, flat, hilltop, sink, swamp.(O) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flatMAJOR  
AQUIFER:

system

series

TP

aquifer, formation, group

GF

Lithology: \_\_\_\_\_

WS

Origin: \_\_\_\_\_

3

Aquifer  
Thickness: \_\_\_\_\_

75 ft

Length of  
well open to: \_\_\_\_\_

ft

10

Depth to  
top of: \_\_\_\_\_

ft

365

MINOR  
AQUIFER:

system

series

aquifer, formation, group

Lithology: \_\_\_\_\_

WS

Origin: \_\_\_\_\_

3

Aquifer  
Thickness: \_\_\_\_\_

ft

Length of  
well open to: \_\_\_\_\_

ft

10

Depth to  
top of: \_\_\_\_\_

ft

365

Intervals  
Screened: \_\_\_\_\_

2" S.S.

Depth to  
consolidated rock: \_\_\_\_\_

ft

60

Source of data: \_\_\_\_\_

64

Depth to  
basement: \_\_\_\_\_

ft

60

Source of data: \_\_\_\_\_

69

Surficial  
material: \_\_\_\_\_

70

Infiltration  
characteristics: \_\_\_\_\_

72

Coefficient

Trans: \_\_\_\_\_

gpd/ft

73

Coefficient

Storage: \_\_\_\_\_

76


Coefficient

Perm: \_\_\_\_\_

gpm/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_

79



Top Soil	11	61
Red Cl	14	67
White Sand	17	72
Light Blue Cl	56	305
Dark Blue Cl	30	320
Dark Blue Cl	320	365
Dark Blue Cl	365	410
Dark Blue Cl	410	440

Case:- HARRISON

[illegible]